

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
6 5/8" OD	1	92	93.	STEEL CASING WITH CASE HARDENED SHOUL.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

AIR JET 15 G.P.M. 50' DD.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By Mel Meyer

License No. 3

Dated 9-30-52, 19.....

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14911
 Rec. 19
 Well No.
 Permit No.
Do not fill in

Owner H. BRACKSTON Driller Mik Meyer
 Address SAN VALLEY RD SPARKS NEV Address 120 HONOLULU BLVD Lic. No. 3
 Location of well: SE 1/4 SE 1/4 Sec. 30, T. 20N/S, R. 20E, in WASHOP County
 or _____
 Water will be used for Home Total depth of well 93'
 Size of drilled hole 6" Weight of casing per linear foot 16#
 Thickness of casing 3/16 Temp. of water COLD
 Diameter and length of casing 6 5/8" x 94'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 13'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 9-22-52 Date of completion of well 9-26-52
 Type of well rig CABLE TOOL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	5	5	LOOSE FILL DIRT.	
5	15	10	LARGE LOOSE ROCKS DIRT	
15	50	35	ROCKS WITH STRENS OF CLAY	Chief aquifer (water-bearing formation) from <u>76</u> to <u>93</u> ft.
50	61	11	YELLOW CLAY	Other aquifers _____
61	76	15	BLUE CLAY	
76	81	5	POURIS ROCK (WATER)	
81	89	8	SOLID ROCK	
89	92	3	POURIS ROCK.	First water at <u>76</u> feet.
				Casing perforated from <u>75</u> to <u>85</u> ft.
				Size of perforations <u>2" x 3/8</u>