

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14914  
 Rec. 194  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner East Walker Ranches (Wichman) Driller Mel. Meyer

Address Yerington, Nev. Address Reno, Lic. No. 3

Location of well: NW 1/4 NW 1/4 Sec. 5, T. 8 N/S, R. 27 E, in Lyon County

or In rear of wash house

Water will be used for Domestic Total depth of well 143'3"

Size of drilled hole 6" Weight of casing per linear foot 20#

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" id - 143'3"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 56'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 3-1-49 Date of completion of well 3-8-49

Type of well rig Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sandy loam
3	15	12	boalders-sand
15	22	7	gravel-sand
22	61	39	cement gravel
61	86	25	gravel-clay
86	97	11	sandy clay (gray)
97	115	18	" " (brown)
115	137	22	" " (blue)
137	143	6	gravel (water main)
			hard rock bottom

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 137 to 143 ft.

Other aquifers 61

First water at 61 feet.

Casing perforated

from 74 to 142 ft.  
(68')

Size of perforations

2 1/2 x 1



# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14914  
 Rec. 194  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner East Walker Ranches (Wichman) Driller Mel. Meyer

Address Yerington, Nev. Address Reno, Lic. No. 3

Location of well: NW 1/4 NW 1/4 Sec. 5, T. 8 N/S, R. 27 E, in Lyon County

or In rear of wash house

Water will be used for Domestic Total depth of well 143'3"

Size of drilled hole 6" Weight of casing per linear foot 20#

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" id - 143'3"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 56'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 3-1-49 Date of completion of well 3-8-49

Type of well rig Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sandy loam
3	15	12	boalders-sand
15	22	7	gravel-sand
22	61	39	cement gravel
61	86	25	gravel-clay
86	97	11	sandy clay (gray)
97	115	18	" " (brown)
115	137	22	" " (blue)
137	143	6	gravel (water main)
			hard rock bottom

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 137 to 143 ft.

Other aquifers 61

First water at 61 feet.

Casing perforated

from 74 to 142 ft.  
(68')

Size of perforations

2 1/2"

