WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14919
Rec. 19
Well No.
Permit No.
Do not fill in

Owner Fairfield Driller

Address Address Lic. No.

Location of well: E ½ SE ½ Sec. 4, T. 8 N/S, R 22 E, in Mono Co, Calif. County

or Slinkard Valley

Water will be used for Total depth of well 245

Size of drilled hole 14" Weight of casing per linear foot

Thickness of casing 1/4 Temp. of water

Diameter and length of casing 14½" x 180'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Date of completion of well 51

Type of well rig Cable Tools

ENTERED

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Silt + very Little gravel
12	22	10	Sand, clay + gravel
22	42	20	Boulders
42	65	23	Rock, gravel + clay
65	77	12	Sandy clay
77	107	30	Clay + gravel
107	110	3	Gravel, sand + clay
110	122	12	Rock, gravel + clay
122	147	25	Gravel + sandy clay
147	155	8	Rocks + clay
155	172	17	gravel + clay
172	180	8	Rock + clay
180	197	17	gravel + clay
197	202	5	Rock, gravel + clay
202	219	17	gravel + clay
219	223	4	Rocks + clay
223	227	4	Sandy clay
227	245	18	Rock + clay struck underground River

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 245 to 251 ft.

Other aquifers

First water at 22 feet.

Casing perforated

from 0 to 251 ft.

Size of perforations

ENTERED

Page 2 of log #14919

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material
245	251	6	Boulders, gravel + sand

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
14" I.D.	0	180	180	Perforated
11" I.D	160	188	28	"
16" I.D.	188	215	27	"
11" I.D	215	251	36'	"
			271	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Broke of 14" bit at 249'

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 14919
Rec. 19
Well No.
Permit No.
Do not fill in

Owner Fairfield Driller

Address Address Lic. No.

Location of well: E ½ SE ½ Sec. 4, T. 8 N/S, R 22 E, in Mono Co, Calif. County

or Slinkard Valley

Water will be used for Total depth of well 245

Size of drilled hole 14" Weight of casing per linear foot

Thickness of casing 1/4 Temp. of water

Diameter and length of casing 14½" x 180'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Date of completion of well 51

Type of well rig Cable Tools

ENTERED

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Silt + very Little gravel
12	22	10	Sand, clay + gravel
22	42	20	Boulders
42	65	23	Rock, gravel + clay
65	77	12	Sandy clay
77	107	30	Clay + gravel
107	110	3	Gravel, sand + clay
110	122	12	Rock, gravel + clay
122	147	25	Gravel + sandy clay
147	155	8	Rocks + clay
155	172	17	gravel + clay
172	180	8	Rock + clay
180	197	17	gravel + clay
197	202	5	Rock, gravel + clay
202	219	17	gravel + clay
219	223	4	Rocks + clay
223	227	4	Sandy clay
227	245	18	Rock + clay struck underground River

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 245 to 251 ft.

Other aquifers

First water at 22 feet.

Casing perforated

from 0 to 251 ft.

Size of perforations

ENTERED

Page 2 of log #14919

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material
245	251	6	Boulders, gravel + sand

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
14" I.D.	0	180	180	Perforated
11" I.D	160	188	28	"
16" I.D.	188	215	27	"
11" I.D	215	251	36'	"
			271	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Broke of 14" bit at 249'

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)