

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1492A
I

Re. 194

Well No.

Permit No.

Do not fill in

Owner Mr*-Mrs Howard Wilkerson Driller Mel Meyer

Address Address Reno, Lic. No. 3

Location of well: 1/4 1/4 Sec. 30, T. 11 N/S, R. 24 E, in Washoe Lyon County

Water will be used for Household Total depth of well 161 170'

Size of drilled hole 6" Weight of casing per linear foot 20^{lb}

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" id 161'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure App. 30 To 50 G.P.M App. 6"

If nonflowing well give depth of standing water from surface

If flowing well describe control works Caped Redused to 2" Pipe (To be finished by Drillee)
(Type and size of valve, etc.)

Date of commencement of well 4-22-49 Date of completion of well 4-25-49

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Top Soil
15	32	17	Coarse Sand
32	53	21	Fine Sand
53	78	25	" "
78	114	36	Blue Clay
114	154	40	Blue Fine Sand
154	160	6	Blue Clay
160	170	10	Blue Sandy Clay
			(Very Small Fine Water Flowing Sands Unable to tell jist where flow is comeing from ? But Is be low 161' to 170' Not Cased or Perforated be low 161')

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 161' to 170' ft.

Other aquifers

First water at 15 feet.

Casing perforated
 from None to ft.

Size of perforations

