

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

1	Log No. <u>15040</u>
	Rec. <u>19</u>
	Well No. _____
	Permit No. _____
<i>Do not fill in</i>	

Owner Ray Peterson Driller Mel Meyer

Address 807 1/2 Kietzke Lane Reno Address 120 Moana Lane Reno Lic. No. 3

Location of well: SE 1/4 NW 1/4 Sec. 18 T. 19N/S, R. 19E, in Washoe County

or _____

Water will be used for Home Total depth of well 65'

Size of drilled hole 6" Weight of casing per linear foot 20#

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" ID X 65'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 1-26-53 Date of completion of well 2-4-53

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	2	2	Top Soil	
2	37	35	River Rock and Sand	Chief aquifer (water-bearing formation) from <u>9</u> to <u>35</u> ft.
37	39	2	Hard Pan	Other aquifers _____
39	50	11	Sand Clay and Rocks	<u>50-65</u>
50	65	15	Sand Rocks	
				First water at <u>9</u> feet.
				Casing perforated from <u>50</u> to <u>63</u> ft.
				Size of perforations <u>2 1/2 x 3/8</u>

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 15090
 Rec. 19
 Well No.
 Permit No.
Do not fill in

Owner Ray Peterson Driller Mike Miller
 Address 807 1/2 Kietzke Lane Reno Address 121 Nevada Lic. No. 3
 Location of well: S.E. 1/4 NW 1/4 Sec. 18, T. 19 N/S, R. 19 E, in 11195 Ho C County

Water will be used for Home Total depth of well 65'
 Size of drilled hole 6" Weight of casing per linear foot 20#
 Thickness of casing 5/16 Temp. of water COLD
 Diameter and length of casing 6" ID x 65'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 8'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well 1-26-53 Date of completion of well 2-4-53
 Type of well rig CABLE TOOL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	TOP SOIL
2	37	35	RIVER ROCK AND SAND
37	39	2	HARD PAN
39	50	11	SAND CLAY AND ROCKS
50	65	15	SAND. ROCK'S

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 9 to 35 ft.

Other aquifers 50 - 65

First water at 9 feet.

Casing perforated

from 50 to 63 ft.

Size of perforations

2 1/2 x 3/8

