

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 15042  
 Rec. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Aldo Parino Driller Lee Smith  
 Address Sparks, Nevada Address 195 E 6th Ave, S.V. Lic. No. 208  
 Location of well: 1/4 1/4 Sec 27, T20 N 8, R20 E, in Washoe County \_\_\_\_\_  
 or East of center line Sec 27, on East West line on Spanish Sprngs Road  
 Water will be used for Domestic Total depth of well 82'  
 Size of drilled hole 6" Weight of casing per linear foot 7 1/2"  
 Thickness of casing 3/16" Temp. of water 58°  
 Diameter and length of casing 5 3/4" x 82'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure 5 GPM  
 If nonflowing well give depth of standing water from surface 18' Static  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 10/29/55 Date of completion of well 11/1/55  
 Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	17	17	Open pit
17	25	8	fill
25	45	20	White Clay
45	68	23	Brown clay rock
68	82	14	Hard brown rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 68' to 82' ft.  
 Other aquifers 45'

---

First water at 17' feet.

Casing perforated  
 from 27' to 82' ft.

Size of perforations  
1/8" x 5"

