WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 17061
Permit No.
Basin

1. OWNER Jerry Olsen ADDRESS 895 Bowman Drive Reno, Nevada 89503

2. LOCATION SW ¼ NW ¼ Sec. 4 T. 17N N/S R. 21E E. ~~Washoe~~ Storey County
PERMIT NO. Lot 59 Block N 21975 Panhandle Drive

3. TYPE OF WORK
New Well [X] Recondition [ ]
Deepen [ ] Other [ ]

4. PROPOSED USE
Domestic [X] Irrigation [ ] Test [ ]
Municipal [ ] Industrial [ ] Stock [ ]

5. TYPE WELL
Cable [ ] Rotary [X]
Other [ ] AIR

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Top soil		0	2½	2½
Hard drill some kind of gray rock looks like granite		2½	10	7½
Gray hard rock		10	25	15
Gray hard rock w/ some soft areas		25	50	25
Gray hard rock		50	75	25
Gray hard rock		75	135	60
Coarse sand & rock brown & red clay		135	155	20
Coarse sand red & gray rock & gray clay		155	172	17
Blue clay & some blue sand		172	175	3

Date started 7-1-77, 19
Date completed 7-6-77, 19

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
AIR BLOWN:	10 GPM	@ 135'	depth

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 6 inches Total depth 175 feet
Casing record 0 - 175' x 6 5/8OD
Weight per foot 12.89 Thickness .188

Diameter		From		To	
10	inches	0	feet	50	feet
8½	inches	50	feet	175	feet
	inches		feet		feet
	inches		feet		feet
	inches		feet		feet
	inches		feet		feet

Surface seal: Yes [X] No [ ] Type transit mix
Depth of seal 50' feet
Gravel packed: Yes [ ] No [X]
Gravel packed from feet to feet

Perforations:
Type perforation factory mill slot
Size perforation 1/8 x 2½"
From 135 feet to 175 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 85' Feet below land surface
Flow G.P.M.
Water temperature cold ° F. Quality not tested

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name W.L. McDonald & Co., Inc.
Address P.O. Box 404; Sparks, NV 89431
Nevada contractor's license number 9767
Nevada driller's license number 817
Signed Frank Padilla by W.L. McDonald
Frank Padilla by: W.L. McDonald
Date 8 July, 1977

USE ADDITIONAL SHEETS IF NECESSARY

5471

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 17061
Permit No.
Basin

1. OWNER Jerry Olsen ADDRESS 895 Bowman Drive Reno, Nevada 89503

2. LOCATION SW ¼ NW ¼ Sec. 4 T. 17N N/S R. 21E E. ~~Washoe~~ Storey County
PERMIT NO. Lot 59 Block N 21975 Panhandle Drive

3. TYPE OF WORK
New Well [X] Recondition [ ]
Deepen [ ] Other [ ]

4. PROPOSED USE
Domestic [X] Irrigation [ ] Test [ ]
Municipal [ ] Industrial [ ] Stock [ ]

5. TYPE WELL
Cable [ ] Rotary [X]
Other [ ] AIR

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Top soil		0	2½	2½
Hard drill some kind of gray rock looks like granite		2½	10	7½
Gray hard rock		10	25	15
Gray hard rock w/ some soft areas		25	50	25
Gray hard rock		50	75	25
Gray hard rock		75	135	60
Coarse sand & rock brown & red clay		135	155	20
Coarse sand red & gray rock & gray clay		155	172	17
Blue clay & some blue sand		172	175	3

Date started 7-1-77, 19
Date completed 7-6-77, 19

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
AIR BLOWN:	10 GPM @	135'	depth

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 6 inches Total depth 175 feet
Casing record 0 - 175' x 6 5/8OD
Weight per foot 12.89 Thickness .188

Diameter	From	To
10 inches	0 feet	50 feet
8½ inches	50 feet	175 feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes [X] No [ ] Type transit mix
Depth of seal 50' feet
Gravel packed: Yes [ ] No [X]
Gravel packed from feet to feet

Perforations:
Type perforation factory mill slot
Size perforation 1/8 x 2½"
From 135 feet to 175 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 85' Feet below land surface
Flow G.P.M.
Water temperature cold ° F. Quality not tested

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name W.L. McDonald & Co., Inc.
Address P.O. Box 404; Sparks, NV 89431
Nevada contractor's license number 9767
Nevada driller's license number 817
Signed Frank Padilla by W.L. McDonald
Frank Padilla by: W.L. McDonald
Date 8 July, 1977

USE ADDITIONAL SHEETS IF NECESSARY

5471