WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PILOT/TEST HOLE

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 22133
Permit No. 35631
Basin

1. OWNER John W. Drayton ADDRESS Star Route 3, Box 340 Minden, Nevada 89423

2. LOCATION SE ¼ NE ¼ Sec. 17 T. 12N N/S R. 20 E. Douglas County
PERMIT NO. 35631

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐ Mud

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Light brown fine sandy clay, varicolored sand & rock 6" - 8"		0	20	20
Vari-colored sand and gravel 1/8 - 6" - 8"	xx	20	40	20
varipcolored sand fine - 3/8" & gravels 6-bigger		40	150	110
Varicolored sand & gravel boulders fine-3/8 & 6" & bigger		150	175	25
Light brown sandy clay, varicolored sand & gravel		175	200	25
Light brown sandy clay fine - 3/4", varicolored sand and gravel & boulders 6" +		200	225	25
Light yellow sandy clay fine - 3/4"; varicolored sand & gravel, boulders 6" +		225	230	5
Light brown sandy clay fine - 3/4"; varicolored sand & gravel, boulders 6" +		230	268	38
Same as above		268	271	3
Same as above 20% clay		271	280	9
Light brown & red sandy clay, vari colored sand				

Date started ....., 19.....
Date completed ....., 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 12¼ inches Total depth 524 feet
Casing record .....
Weight per foot ..... Thickness .....

Diameter	From	To
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet

Surface seal: Yes ☐ No ☐ Type .....
Depth of seal ..... feet
Gravel packed: Yes ☐ No ☐
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation .....
Size perforation .....
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... Feet below land surface .....
Flow ..... G.P.M. .....
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name .....
Address .....
Nevada contractor's license number .....
Nevada driller's license number .....
Signed D. Cohen by W. L. [illegible]
Date .....

USE ADDITIONAL SHEETS IF NECESSARY

O-627

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

OFFICE USE ONLY
Log No. 22133
Permit No. 35631
Basin

PILOT/TEST HOLE Pg. 2

WELL DRILLERS REPORT

Please complete this form in its entirety

1. OWNER John W. Drayton ADDRESS Star Route 3, Box 340
Minden, Nevda 89423

2. LOCATION SE ¼ NE ¼ Sec. 17 T. 12N N/S R. 20 E. Douglas County
PERMIT NO. 35631

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐ mud

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
& gravel, boulders 6" +		280	285	5
Light brown sandy clay 3/4" - fine; varicolored sand & gravel, boulders 6" +		285	303	18
Same as above layers of sands & clay a few boulders		303	320	17
Same as above 40% clay		320	350	30
Light brown sand & gravel less clay		350	355	5
Light brown sandy clay fine - 3/4"		355	360	5
Light brown sandy clay fine - 3/4"; varicolored sand gravel& boulders 6"+		360	372	12
Light brown sandy clay fine - ¼"		372	375	3
Light bronw sandy clay fine 3/4"; varicolored sand, gravel, boulder 6" +		375	385	10
Light brown sandy clay fine - 3/4"; varicolored sand & gravel		385	390	5
Light brown sandy clay fine - 3/4"; varicolored snad & gravel, boulders		390	425	35
Light brown sand & gravel				

Date started ....., 19.....
Date completed ....., 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 12¼ inches Total depth 524 feet
Casing record .....
Weight per foot ..... Thickness .....

Diameter	From	To
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet

Surface seal: Yes ☐ No ☐ Type .....
Depth of seal ..... feet
Gravel packed: Yes ☐ No ☐
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation .....
Size perforation .....
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... Feet below land surface .....
Flow ..... G.P.M. .....
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name .....
Address .....
Nevada contractor's license number .....
Nevada driller's license number .....
Signed D. Caken by W. L. [illegible]
Date .....

USE ADDITIONAL SHEETS IF NECESSARY

O-627

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

PILOT/HOLE Pg. 3

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 22133
Permit No. 35631
Basin

1. OWNER John W. Drayton ADDRESS Star Route 3, Box 340 Minden, Nevada 89423

2. LOCATION SE ¼ NE ¼ Sec. 17 T. 12N N/S R. 20 E. Douglas County
PERMIT NO. 35631

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐ Mud

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Fine - 3/4" 20% clay		425	431	6
Light brown sand & gravel fine		431	445	14
Light brown sandy clay fine sand & gravel 4% clay		445	450	5
Same as above 40-50% clay		450	470	20
Light brown sandy clay, sands & gravel 40-50% clay		470	477	7
Same as above		477	480	3
Light bornw fractured sands and gravel & clay fine sands		480	490	10
Light brown sand fine, fractured gravels, clay		490	510	20
Light brown sand gravel 3/4" clay		510	520	10
Light brown boulders 6-8"		520	521	1
Light brown clay		521	524	3

Date started 10-6, 19 80
Date completed 10-23, 19 80

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 12¼ inches Total depth 524 feet
Casing record
Weight per foot Thickness

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☐ No ☐ Type
Depth of seal feet
Gravel packed: Yes ☐ No ☐
Gravel packed from feet to feet

Perforations:
Type perforation
Size perforation
From feet to feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level Feet below land surface
Flow G.P.M.
Water temperature ° F. Quality

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name W.L. McDonald & Co., Inc.

Address P.O. Box 404, Sparks, Nevada 89431

Nevada contractor's license number 9767

Nevada driller's license number 953

Signed D. Cohen by W. L. Dell
D. Cohen, By W.L. McDonald
Date 10-25-80

USE ADDITIONAL SHEETS IF NECESSARY

O-627