
PP 1150
RPM 80
Trip for washout
16 stands
3200
3300
3400
3500
60M 40M 20M
60 40 20
BIT NO 6
Hrs 48 1/2
Ftg 607
3/26/81
Trip for twistoff fish for monel collar
Ream to bottom
NB NO 7
HTC JE-33 12 1/4"
PP 1150
RPM 80
SURVEY 10°45'
3/27/81
Trip for washout in collars
RR BIT NO 7
PP 1150
RPM 75
SURVEY 10°45'
TG 6
TG 7
TG 6
4M 8M 16M 24M 2M 2M 1M 2M
20 40 80 120
pH 8.3
pH 8.2
110°
25
50
PHY dk gy blk v hd plty-blky v ang si fiss sl-m calc si micmica tr fol w/tr calc
PHY dk gy, gy blk hd blky-slty sil-mod calc micmica slky lstr w/dis pyr calc vn fill, qtz vn fill
QTZT lt-dk gy blky v ang occ gnular v ind pred qtz
PHY dk gy blk v hd plty-blky tr fiss sil-m calc sl-m micmica w/tr fol pyr calc frac fill
PHY dk gy, gy v hd blky si fiss sil micmica slky-grsy lstr tr pyr occ calc frac fill
PHY dk-m gy v hd plty-blky occ si fiss sil-calc si micmica w/occ calc frac fill w/tr fol
WT 8.7 pH 8.1
VIS 35 WL NC
FC 2 SOL 2
Cl- 70 YP 7
QTZT dk gy wh v ang v gnular v ind
CARBIDE LAG
44u 63min 61 spm
PHY gy, m gy v hd blky silty sil-mod calc


SURVEY 10°45'
3500
3600
3700
3800
3/28/81
SURVEY 11°30'
30M 40M 20M
20 40 20
4M 8M 16M 24M 2M 2M 1M 2M
20 40 80 120
30°
110°
130°
23
25
27
50
pHS 8.6
pH 8.2
CO2
adding water
BIT NO 7
Hrs 41 1/2
Ftg 477
SURVEY 12° 3/29/81
NB NO 8
STC 14HJ 4"
PP 1150
LAT
TG 61
v ind
CARBIDE LAG
44u 63min 61spm
PHY gy, m gy v hd blky slty sil-mod calc micac w/occ abnt calc frac fill
QTZT mlky wh lt-dk gy v hd gnular calc inpt sl frac pred qtz
QTZT lt-dk gy wh v hd gnular w/tr calc pyr
PHY dk gy blk v hd plty-sl blky sl slty m-v micmica occ tr fol w/tr qtz calc sl tr pyr
PHY dk gy occ blk hd-v hd plty-occ blky sil-v calc slaty v micmica sl fiss sl fol w/tr calc frac fill v sl tr pyr
PHY lt-dk gy hd-v hd plty sl fiss sl slaty sil-sl calc bcmng v micmica sl frac w calc frac fill w/sl tr pyr qtz
WT 8.7 pH 8.2
VIS 34 WL NC
FC 2 SOL 2
Cl- 70 YP 10
PHY gy-dk gy hd blky sil-occ calc frac occ gran tex schist fol inpt abnt qtz & calc frac fill
QTZ cl-mlky wh opg-trnsl ang, frac, occ cryst tr pyr
PHY lt gy-gy hd-v hd blky sil, occ calc gran tex


3900
4000
4100
4200
SURVEY 11°
BIT NO 8
Hrs 12 1/2
Ftg 1100'
SURVEY 10°30'
NB NO 9 3/30/81
STIC F-3 12 1/4"
PP 850
RPM 55
SURVEY 9°45' N71E
Trip for washout (17 stds)
PP 1200
3/31/81
SURVEY 10°15' N71E
LAT
TG 5
4M 8M 16M 24M 2M 2M 1M 3M
20 40 80 120
90°
110°
130°
Note bulk dsh scale chng
QTZ clr-mlky wh hd trnsl ang occ cryst w/occ abnt calc tr pyr
PHY lt gy blk hd-v hd pity v ang occ v slky lstr v micmica occ gnular occ fol w/calc frac fill
PHY gy, dk gy-blk frm-v hd blky-sl fiss mica inpt gran sil, w/occ abnt calc frac fill tr pyr
QTZ clr-mlky wh, trnsl ang frac w/occ calc tr pyr
PHY dk-m-lt gy v hd pity-blky occ sl fiss slky lstr sl-m sug sl calc v-sl micmica sl frac w/calc xln qtz frac fill sl tr xln pyr
QTZ dk gy mlky wh v ang op-trnsl sl calc inpt w/abunt dk brn v ang trnsl glsy sil min
CARBIDE LAG
43u 74min 59 spm
QTZ MONZ wh dk gy tr col v ang pred op-tr trnsl w/abunt vein min poss biot feld etc w/tr pyr chlor
QTZ dk gy mlky wh v ang op tr xln w/tr calc frac fill
QTZ DIOR. blk, wh, lt gn m-c hd pred felds, bio, amph frac w/qtz & calc fill
qtz vn fill tr diorite


4200
4300
4400
4500
XXX
LAT
FIG 4
tr xln w/tr calc frac fill
QTZ DIOR. blk, wh, lt gn m-c hd pred felds, bio, amph frac w/qtz & calc fill
PHY lt gy-gy hd blky gran v mica inpt occ calc frac tr pyr
QTZ cl-mlky, lt gy hd ang frac occ cryst tr py tr chlor schist
PHY m-dk-lt gy v hd plty-sl blky v sil-sl calc occ micmica v slky lstr sl fol bcmng gnular w/ v sl tr qtz calc frac fill
PHY m-lt gy sl gn v hd-frm plty v sil sl micmica bcmng v gnular w resns lstr occ v sug
WT 8.8 pH 8.2
VIS 35 WL NC
FC 2 SOL 3
Cl⁻ 70 YP 10
PHY lt gy v hd-hd plty-sl blky ang v sil occ sl-v gnular sl micmica occ tr sug w/tr calc qtz frac fill tr chlor
TR weld. tuff lt gy hd-frm v fn gran- plty fnt yel min flor
QTZ cl-mlky, lt gy trnsl hd frac w/occ abnt calc tr pyr
PHY lt gn, gy-lt gy hd sil plty-blky slky lstr mica inpt frac w/ calc frac fill occ gran-suc tex
QTZ cl, mlky, trnsl hd blky frac w/occ calc prec amor, occ cryst tr py tr chlor
PHY m-dk gy hd blky-plty mica inpt sil w/abnt qtz & calc frac fill


4600
4700
4800
4900
TG 5
TG 5
TG 6
LAT
LAT
PHY
PHY
WT 8.7 pH 8.2
VIS 33 WL NC
FC 2 SOL 2
Cl⁻ 70 YP 7
CARBIDE LAG
55u 88min 59spm
PHY
QTZ
PHY
PHY
QTZT
SLATE
SERIC
SERIC
NOTE TEMP SCALE CHG


T NO 12
S 25
D 86
RVEY 7°30'
NO 13
C XWG 12 /4
1200
M 70
4/7/81
for washout (2 stds)
RVEY 7°15'
8/81
T NO 13
S 28 1/2
D 113
RVEY 6°45' N45E
NO 14
C J-33 12 /4
1200
M 70
9/81
RVEY 6°45'
40M 20M
40 20
RVEY 6°45' N54E
10/81
for rig repair
RVEY 6°15' °E
T NO 14
4900
5000
5100
5200
LAT
TIG 5
4M 8M 16M 24M 2M 3M 1M
20 40 80 120
110° 130° 150°
25 27 29
30
pHS 7.2
pH 7.2
pHS 7.1
pH 7.3
pHS 7.1
pH 7.6
SLATE dk brn dk gy hd-v hd v blky v ang sil w calc lam occ fr micmica lam
SERIC wh gn plty ang v fiss v micmica w/meta min chlor, musc v fol v plty grsy lstr w fr xln qtz
SERIC gn, lt brn plty fiss micmica grsy lstr fol w/occ intbd f grn mica qtzt occ qtz frac fill
PHY lt-dk gy hd-v hd v plty fr sl blky v sil occ fol v fiss v micmica w/fr qtz calc fr brn xln incl
WT 8.7 pH 8.2
VIS 32 WL NC
FC 2 SOL 2
Cl⁻ 70 YP 7
PHY m-dk gy hd-v hd v plty sil occ fol v-sl fiss occ sl micmica w/tr calc qtz frac fill
SERIC lt-dk gn wh frm-v hd v plty v-sl fiss shny sil micmica w/qtz brn xln incl
QTZ brn clr wh lt gn v ang trnsl-op v shny-occ fr gran w/abunt min w/ fr calc qtz xln
SERIC lt gn wh lt gy frm-fri occ hd plty fiss fol micmica sil w/occ hd blky vf gr qtzt tr pyr
PHY dk-lt gy v hd v plty ang v-sl fiss sil-occ sl calc v micmica sl-v slky lstr fol w/calc frac fill occ fr qtz
WT 8.6 pH 8.2
VIS 33 WL NC
FC 2 SOL 2
Cl⁻ 70 YP 6
CARBIDE LAG
22 u 90 min 59 spm
PHY gy-gy hd blky, occ ss sil micmica w/ calc frac fill, occ qtz


5300
5400
5500
5600
LA+
TG 4
TG 5
4M 8M 16M 24M 2M 2M M 3M 10°
20 40 80 120 2.5
130°
150°
42K
150K
pHS 16.9
pH 7
pHS 16.7
pH 7.8
pHS 16.7
pH 7.6
PHY
dk-m gy hd-v hd v plty fiss sil-occ calc lam v micmica suc tex fol w/calc tr qtz frac fill occ v sl tr pyr
QTZ
clr wh dk gy blky-splty ang occ gran frac w/ calc tr pyr tr xln min
PHY
gy-lt gy hd blky, occ fiss sil, calc inpt micmica occ suc tex w/occ abnt calc frac fill
QTZ
clr-mlky wh, trnsl blky occ xln frac inpt w/occ abnt calc frac fill sl tr dis vf gr pyr
PHY
dk-m gy occ brn v hd blky-plty sl fiss sil-sl calc sl-v micmica occ tr fol occ suc tex frac w/calc frac fill
QTZ
dk brn amber v hd-fri v ang sl gran w occ xln micmica
PHY
dk gy-gy hd blky, occ fiss sil-calc inpt micmica gran-suc tex inpt occ abnt calc frac fill tr lt brn plty sericite
PHY
dk-lt gy hd-v hd v plty sl blky fiss sil w occ calc lam v micmica foc occ suc tex w/tr qtz calc frac fill w/occ abunt brn xln
WT 8.6 pH 8.0
VIS 35 WL NC
FC 2 SOL 2
Cl⁻ 70 YP 5
QTZ
clr-mlky, trnsl hd blky frac ang occ micxln w calc frac fill w wh seric frm plty
p for washout (6 std)
p for washout (shock sub)
4/11/81
12/81
13/81
7P45'
NO 15
NO 16
E-3 12 1/4"
1200
65
70
4/14
47 1/2
179


T NO 15
s 47 1/2
g 179
(r for washout (shock sub)
NO 15
C J-33 12 1/4"
200
M 70 4/14
IRVEY 7P45
15/81
40M 20M
40 20
5600
5700
5800
5900
T NO 16
s 48
g 369
for E-LOGS 16-17/81
NO 17
C J-33 8 1/2"
LAT
TG 4
TG 4
4M 8M 16M 24M 2M 2M M 3M 10° 30° 50°
20 40 80 120 2.5 27 29
50
WT 8.6 pH 8.0
VIS 35 WL NC
FC 2 SOL 2
Cl⁻ 70 YP 5
QTZ clr-mlky, tmsl hd blky frac ang occ micxln w/ calc frac fill w/ wh seric frm plty
PHY dk gy brn v hd plty-sl blky fiss v sil occ v micmica w fol occ mass suc tex w qtz frac w/ calc frac fill tr pyr tr brn xln
CARBIDE LAG pump #2
28u 102 min 60 spm
QTZ clr-mlky wh, lt brn hd blky ang inpt w/mlky wh fri-hd calc tr seric tr pyr
SERIC lt gn-wh, lt gy fri-hd plty fiss inpt micmica fol w/wh, clr, lt brn hd blky vf gr qtzt
PHY dk-m gy brn hd-v hd blky v plty sl-v fiss v sl v slky-v suc tex occ fol w v micmica w/brn xln abunt qtz occ calc frac fill w/lt gn seric intbd
PHY dk gy dk brn v hd v blky-tr plty v sil tr sl micmica bcmng v slaty sl frac w/tr pyr calc
PHY dk brn dk gy hd-v hd v blky v sil slaty w/tr pyr qtz calc
QTZ clr-mlky wh, lt gy hd blky frac inpt w/occ calc tr pyr
PHY blk, dk gy hd, occ brit slate inpt blky-plty occ vf gr suc tex mic-micica sl grsy lstr w/occ calc frac fill
PHY gy-dk gy hd plty occ fiss v micmica sl grsy occ fol tr lt brn qtzt
pyr


6000
6100
6200
6300
4M 8M 16M 24M 2M 2M 1M 3M
20 40 80 120
40M 20M
40 20
VEY 12°
r Temp Survey
9/81
VEY 11°45'
VEY 7°45'
PHY
WT 8.9 pH 8.0
VIS 37 WL NC
FC 2 SOL 3
Cl⁻ 70 YP 9
QTZ
PHY
QTZ
PHY
CARBIDE LAG pump #1
18u 98min 60spm
QTZ
PHY
QTZT
PHY


6300
6400
6500
6600
LAT
TG 3
4M 20
8M 40
16M 80
24M 120
2M
2M
1M
1M
10°
30°
150°
2.5
27
29
50
CO2
VEY 7°45'
VEY 12°15'
VEY 12°15' 180°F
NO 17
4B 1/2
5"
F-3 8 1/2"
40M
40
20M
20
1300
70
VEY 12°15' 185°F
VEY 12°15'
VEY 12°15' 190°F
2/8
gran tex slt w/ intbd lt brn qtzt
QTZT lt brn-brn, lt gy-gy hd f-vf gr blky sil-sl calc micmica inpt gran-suc tex tr kao tr calc
PHY gy-lt gy, lt gn hd occ br[illegible]y, tiss inpt mic[illegible]ca occ suc tex tr lt gn sericite
QTZT dk gy wh clr gn v hd-hd blky occ brn micmica trnsl-op mass-occ gran tr suc tex w/calc frac fill
SERIC lt gn wh frm-hd plty v fiss mica sl fol sil
QTZT dk gy mlky wh clr gn v hd blky v ang mass trnsl-op frac w calc w/ dk brn qtzt fri v ang v gran abunt brn mica flakes
SERIC lt gn, lt gy, wh hd plty fiss v micmica sil w/ sl grsy lstr intbd w/ v f gr mica qtzt
QTZT dk-lt gn dk brn dk gy v hd-sl fri v f gr-mass trnsl-op occ brn mic-mica w xln w/sl tr calc
WT 8.9 pH 8.1
VIS 36 WL NC
FC 2 SOL 3
Cl- 50 YP 7
SERIC lt gn, wh, lt gy frm-brit plty, fol inpt v micmica sil w/occ calc frac fill
QTZT wh, lt brn, lt gn v hd blky vf-f gr sil-sl calc occ mica w/biot tr feld w/occ amor qtz vn fill
QTZT dk-lt gn dk brn hd-brit blky v f gr-mass pred-trnsl v sil occ fol mica poss biot w/sl tr calc clr xln qtz frac fill
CARBIDE LAG pump #1 23u 106min 58 spm
QTZT m-lt gn fr lt brn hd-brit y-spity mass-v f [illegible]rnsl v sil tr fol occ v mica w tr biot spot w/


VEY 13° 45' 190°F
NC 18
4 1/2
280'
3/8"
n open hole
NC 19
F-3 8 1/2"
1300
65
4/8"
VEY 13° 15' 190°F
40M
40
20M
20
ue
/EY 13° 45'
5/8"
/EY 14°
10 19
4 5 1/2
288'
6700
6800
6900
7000
TG 3
4M
20
8M
40
16M
80
24M
120
2M
2M
1M
3M
10°
2.5
130°
27
50
150°
29
pH 7.3
pH 7.4
pH 7.3
pH 7.3
NOTE TEMP SCALE CHG
130° 150° 170°
SERIC wh, lt gn hd-fri plty-fiss micmica sil cly inpt occ calc frac fill occ tr pyr
QTZT lt-dk gn occ dk brn v hd blky-splty v f gr-mass occ v mica w tr poss biot occ frac w amor clr qtz frac fill
QTZT lt-dk gn dk brn gy v hd v blky mass-occ f gr v glsy-v mica w/qtz frac fill w sl tr calc
PHY dk brn dk gy v hd v blky ang v sil slaty-v mic-mica
SERIC wh lt gn frm-sl hd v plty fiss occ v micmica v sil-sl calc v thnly bd occ tr xln qtz frac fill
QTZT lt gn, wh, gy hd blky f-v f gr mica inpt w/ occ sft wh kao pred sil occ frac w/calc frac fill
PHY pred gy-dk gy hd fiss plty sil occ blky w/ suc tex micmica occ qtz frac fill
PHY dk gy v hd blky-plty sl fiss v sil w calc lam occ v micmica
QTZT milky wh gy v hd-fri blky v gran-mass m-c gr v ang tr calc w gr occ chlor stn w/sl tr pyr
WT 8 9 pH 8.0
VIS 34 WL NC
FC 2 SOL 3
CL 70 YP 10
PHY gy-dk gy hd plty-fiss micmica sil fol


7000
7100
7200
7300
TG 3
TG 4
4M 8M 16N 24M 2M 2M M 1M
20 40 80 120
130°
150°
170°
2.5
2A
5A
29
pH 8.6 T
pH 7.8
pH 8.6 T
pH 7.5
pH 8.6 T
pH 7.4
pH 8.6 T
pH 7.3
CO2
c gr v ang fr calc w gr occ chlor stn w/sl tr pyr
WT 8.9 pH 8.0
VIS 34 WL NC
FC 2 SOL 3
CL- 70 YP 10
PHY gy-dk gy hd pity-fiss micmica sil fol inpt w/occ calc frac
PHY dk gy fr dk brn v hd blky v ang v sil suc tex-micmica-slaty sl frac w/tr qtz sl tr calc frac fill
CARBIDE LAG pump #1 25u 107min 58spm
QTZ wh,lt brn vf gr xln hd ang inpt sil pred frac fill w/tr calc
PHY gy-dk gy,dk brn hd-brit blky-plty v micmica fol inpt w/occ macmic biot pred sil tr lt gy amor cly, pos kao
QTZT lt gy,wh, lt gn hd vf-f blky occ micmica sil w/tr pyr
PHY dk gy-gy, lt gn hd-brit blky-plty sil, occ calc micmica fol inpt occ suc tex tr pyr
WT 8.9 pH 8.2
VIS 37 WL NC
FC 2 SOL 3
CL- 70 YP 11
QTZT wh,lt gy, lt brn hd-fri vf-f gr gran tex blky occ v micmica sil w/occ sft wh sl calc cly occ abnt milky wh ang amor calc frac fill
PHY dk gy-gy, lt brn-brn hd blky-plty micmica fol inpt pred sil occ calc gran tex inpt w/calc frac fill
QTZT lt-dk brn, wh, lt gy, lt gn pred hd vf-f gr ang blky occ micmica s... v calc occ abnt w... cly abnt frac w/calc frac fill
Temp. Survey 26-27/8i
8 1/2"
4/28/8i
4/29/8i
4/30/8i
Drlg open hole
Up Press drop to 900
Y 115°45' 195°F
Y 16° 185°F
Y 16°
EY 15°


7400
7500
7600
7700
PHY gy-lt gy hd blky-plty micmica occ suc tex occ v calc gisy istr inpt slaty inpt w/occ sft-frm lt gn seric
CARBIDE LAG pump* 1 23u 109.5min 58spm
QTZT lt gy, wh-lt brn fri-hd blky-ang sil-occ calc mica inpt w/occ amor sft-brit kao cly
WT 8.9 pH 8.1
VIS 34 WL NC
FC 2 SOL 3
CL 70 YP 7
QTZT lt gy-gy brn-lt brn hd-fri f gr blky-ang pred sil, occ calc mica inpt slty w/calc frac fill
PHY gy-lt gy frm-hd blky, occ fiss sil-sl calc micmica occ v slaty earthy w/calc frac fill
QTZT lt gy-gy, v lt brn hd-fri f gr- micxln tex ang-mod plty pred sil occ calc mica inpt w/kao cly
WT 8.6 pH 8.2
VIS 34 WL NC
FC 2 SOL 3
CL 70 YP 9
QTZT lt-gry brn-lt brn hd fri f gr blky-ang pred sil, occ calc mica w calc fract fill
PHY gy lt gy brn hd blky occ fiss sil-sl calc mic mica slty
TG 2
TG 3
adding water
open hole
8 1/2"
NG
washout (caliper sl)
113° 45' 200°F
5/3/81
5/2/81
5/1/81
114° 30'
115° 30'


7700
7800
7900
8000
8100
Y NG 220°F
40M 5/4/81 20MC
40 20
washout - E-LOG
4M 8M 16M 24M 2M 2M 10M 3M 30°
20 40 80 120 2.5 60
PHY fri f gr blky-ang pred sil, occ calc mica w calc fract fill
PHY gy lt g m hd blky occ fis sil-sl calc mic mica slty
PHY pred dk gy, gy hd-brit plty-fiss mod calc-sil v micmica fol schist. inpt v frac occ sks w/abnt calc frac fill tr pyr
PHY gy-lt gy hd fiss v micmica sil ang occ gran tex w/occ qtz frac fill tr pyr
QTZ cl-fros, milky wh hd ang v fnly xln-amor w/ occ tr pyr
PHY pred dk gy, gy hd-brit fiss, mod calc sil v mic mica v fract tr pyr
WT 8.8 pH 8.2
VIS 34 WL NC
FC 2 SOL 3
CL 70 YP 9
NOTE: no samp washout

THE ANALYSTS

Schlumberger

ANCHORAGE, ALASKA VENTURA, CALIFORNIA DENVER, COLORADO

COMPANY GETTY OIL COMPANY

WELL COLADO USL-44X-10

FIELD OR AREA COLADO KGRA

LOCATION SECTION 10 27N 32E MDBHV

COUNTY PERSHING STATE NEVADA

ELEVATION 4213' K.B. 4240'

SPUD DATE 3/13/81 FINAL DATE 5/4/81

TOTAL DEPTH 7965'

DRILLING CO. BRINKERHOFF PUSHER

REMARKS

LOGGING PERSONNEL TAD TOMKO GERRY MILHOLLAND
DON KIETMAN W.H. FRIDLEY

DATE BEGUN 3/17/81 DATE RELEASED 5/4/81

INTERVAL LOGGED 1215' - 7965' FOOTAGE 6750'

SERVICES PERFORMED CONVENTIONAL LOGGING, CHROMATOGRAPH, TEMPERATURE IN & OUT, H_2S, MUD DUCK, SHALE DENSITY, CO_2

HOLE SIZE	
SIZE	DEPTH
17"	1220'
12 1/2"	5977'
8 1/2	7965'

CASING RECORD		
SIZE	DEPTH	FOOTAGE
13 3/8"	1215'	1215'

MUD TYPE GEL / WATER w BEN-X

ABBREVIATIONS

NB	NEW BIT	CG	CONNECTION GAS
NCB	NEW CORE BIT	COR	CORRECTED DEPTH
NR	NO RETURNS	WT	MUD WEIGHT
CO	CIRCULATE OUT	VIS	VISCOSITY
DST	DRILL STEM TEST	WL	WATER LOSS
PR	POOR RETURNS	Cl	PPM CHLORIDE
TG	TRIP GAS	NaCL	SOD. CHLORIDE
LAT	LOGGED AFTER TRIP	Rm	MUD RESISTIVITY

Gas detector is calibrated to record 100 units w/mixture of 2% methane in air

"The Analysts, inc., does not warrant the accuracy or correctness or any interpretation, recommendation or measurement contained herein. The interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule."

QUARTZ SILTSTONE CONGLOMERATE CHERT VOLCANICS

PHYLLITE LIMESTONE DOLOMITE FELSIC INTRUSIVE SERICITE

DRILLING RATE	LITHOLOGY	OIL	MUD GAS ANALYSIS—CHROMATOGRAPH IN PPM					CUTTINGS ANALYSIS	DESCRIPTION AND REMARKS
DRILL RATE (FT/HR OR MIN/FT) BIT WT IN THOUS		dod	C-1 ---- TOTAL GAS ····	C-2	C-3	C-4	CO_2	TOTAL ·····	


DRILLING DATA
H2S
TEMP IN — OUT
BULK DENSITY xxxxx
Start logging 3/17/81 at 1215'
Set 13 3/8" csg shoe at 1213'
NB NO 3
STC DGJ 12 1/4"
PP 400
RPM 80
60M 40M 20M
60 40 20
3/18/81
BIT NO 3
Hrs 6
Ftg 105'
C SURVEY 2°
NB NO 4
STC E-2 12 1/4"
PP 800
RPM 60/65
1200
1300
1400
TG 42
TG 36
4M 8M 16M 24M 2M 2M 1M 1M
20 40 80 120
70°
90°
110°
MUD TYPE
GEL/WATER w BEI
SLATE dk gy tr lt gy v hd bl
ang sl mica v calc o
qtz veins w/tr pyr
QTZ mlk wh cir vein qtz
sl grdag to qtzite w
sl tr pyr
SLATE dk gy v hd v ang blky
sl plty v calc sl mica
bcmng sl phyllitic w
abunt qtz w calc vein
filling w/tr pyr
PHY dk gy-blk vhd vang blky-
sub plty mic mica grdg to
slate sme qtz & calc vns
occ intbdd w/qtz
TR qztz wht vhd blky ang
abnt pyr
SLATE dk gy-occ blk m-vhd van
sub blky-plty si-m mica
grdg to phy sme qtz & calc
frac fill w/tr pyr
PH blk-occ dk gy vhd vang


SURVEY 2°45
1500
1600
1700
60M 40M 20M
60 40 20
RPM 80
3/19/80
4M 8M 6M 24M 2M 2M 1M 1M
20 40 80 120
70°
23
90°
25
50
100°
27
& calc vns occ intbdd w/ qztz
QTZ wht vhd blky v ang vpyr
SLATE dk gy m-vhd blky v ang grdg to phy smeqtz & calc frac fill w/tr pyr
CARBIDE LAG
36U 28Min 61SPM
WT 8.6 pH 12
VIS 30 WL NC
FC 1 SOL 2
Cl- 2 YP 7
PHY dk gy v hd v ang sl-v slaty v blky sl-v micm v calc w/occ calc fra fill w/sl tr pyr
PHY dk gy v hd blky-sl plty lam ang v calc micmic w/abunt qtz w calc frac fill
SLATE dk gy v hd blky-sl plty sl fiss v calc w sl-abu calc frac fill sl-m phy
PHY dk gy v hd blky-occ fiss sl-v slaty m-v micmica w/sl tr pyr fr frac
PHY dk gy v hd blky-plty occ fiss v calc slaty occ v micmica w/calc frac fill w/tr pyr
PHY dk gy v hd plty-blky ang sl fiss slaty v mica w/occ calc tr pyr tr qtz frag fill
WT 8.7 pH 10.5
35 WL NC
2 SOL 2


BR 1200
SURVEY 4°S0°
1800
1900
2000
2100
60M 60
40M 40
20M 20
4M 20
8M 40
16M 80
24M 120
2M
2M
1M
1M
70°
23
90°
25
50
110°
27
SURVEY 6°
LAT
TG 12
QTZ mlky clr vein w/occ abunt calc tr pyr
PHY dk gy v hd blky-sl plty v ang sl fiss v slaty v calc w/tr calc w sl tr qtz
PHY dk gy vhd blky-sl plty vang sl fiss sl-m slaty tr calc & qtz fracfill w/sme pyr v mica w/occ fol
PHY dk gy vhd blky-sl plty vang sl fiss sl-m slaty sme qtz vns calc fracfill sl tr pyr v mica w/occ fol
TR qztz wht hd v calc blky vang
PHY dk gy-blk vhd blky-sl plty vang sl fiss sl slty sme qtz & calc vns sl pyr v mica w/occ fol sme intbdd w/qztz
PHY dk gy-blk vhd blky-sl plty vang sl fiss sl slaty occ qtz & calc vns w/sme pyr v mica w/occ fol tr intbdd qztz
PHY dk gy-blk vhd blky-sl plty vang sl fiss sl slaty occ qtz & calc vns w/sme pyr mica w/occ fol tr intbdd qztz
CALC wht hd ang
QTZ ltgy-wht sme ltbn hd blky v ang calc
PHY dk gy-blk vhd calc blky-sub plty vang sl fiss m slaty sme qtz & calc frac fill w/ tr pyr v mica w/occ fol
QTZ gn wht rd hd blky calc v ang sme pyr
Trip for washout in hwy wall
3420'/8 ll


SURVEY 6°
SURVEY 6°
SURVEY 6°15'
SURVEY 6°
60M 40M 20M
60 40 120
2200
2300
2400
4M 8M 16M 24M 2M 3M 1M M
20 40 80 120
70°
90°
100°
120°
2.3
2.7
5.0
PHY dk gy v hd v pity-blky si-v calc occ fiss sl slaty micmica-tr flak mica w/cont tr calc occ tr pyr
PHY dk-lt v hd pity-blky si-v fiss calc micmica occ tr bndng w calc w mica w/tr thnly bd poss schist
WT 8.7 pH 7.6
VIS 30 WL NC
FC 2 SOL 2
Cl⁻ 100 YP 7
ABUNT calcite w tr pyrite
QTZ mlky wh ang abunt calc w/tr pyr
CARBIDE LAG
23u 37min 60spm
QTZ wh mlky v ang op w abunt qtz w abunt xln pyr w/ tr calc
PHY gy-blk mhd plty-blky ang sl mic mica tr bnd w/calc qtz frac fill
QTZ pale gy-wht vhd sme sl bnding w/calc occ pyr
PHY dk gy hd blky v ang sl fiss m slaty sl mica w/tr fol occ bnding w/calc tr pyr
PHY dk gy-occ blk hd blky-slplty sl fiss v ang m slaty sl-m mica w/sme fol occ bnding w/calc sl-m pyr tr qtz frac fill
TR qtz wht-occ vltgy vhd blky ang sl bnding w/calc
NOTE-SCALE CHANGE


2500
2600
2700
2800
3/21/80
SURVEY 6°
BIT NO 4
Hrs 55 1/2
Ftg 1266'
NB NO 5
SIZE 12 1/4"
RPM 65/70
PP 1150
SURVEY 6° 15'
60M 40M 20M
60 40 20
3/22/81
RPM 80
TG 6
4M 8M 16M 24M 2M 2M 1M
20 40 80 120
100° 130°
2.3 2.5 2.7
5.0
CO2
(CO2) NOTE - SCALE CHANGE (temp)
2M 90° 110° 130°
PHY dk gy-blk hd blky-sl pity sl fiss vang m slaty sl micaw/ tr fol sme bndlng w/calc tr pyr & qtz frac fill
PHY dk-m gy v hd blky-pity occ sl fiss v-sl calc sl-v slaty occ v micmi tr fol w bndng w/tr py qtzt
QTZ miky wh smky blky trns op w/xln pyr tr calc
CARBIDE LAG
26u 42 min 60 spm
WT 8.9 pH 8.6
VIS 35 WL NC
FC 2 SOL 2
Cl⁻ 100 YP 7
PHY dk gy-blk m-vhd pity-blky sme sl fiss vang m slaty sl-m micmica tr pyr w qtz & calc vns
PHY dk gy blk v hd pity-blky occ sl fiss bcmng v slaty sl-tr v micmica sl-m calc w/qtzt tr py tr calc
PHY dk gy blk v hd blky-sl pity tr fiss v slaty sl micmica calc w/cont tr pyr calc qtzt
PHY dk gy blk v hd sl pity-blky v slaty sl micmica calc w/tr pyr calc
PHY dk gy-blk vhd pity-blky m slaty m-occ sl mica tr calc-pyr-qtz
PHY blk-occ dk gy m-vhd pity-blky sme sl fiss m slaty sl-m mica w/tr fol tr pyr tr qtz


SURVEY 7°30'
BIT NO 5
Hrs 32 1/2
Ftg 293'
SURVEY 7° 15'
BIT NO 6 3/23/81
STC F-3 12 1/4"
PP 1150
RPM 90
SURVEY 9° 15'
SURVEY 9°
SURVEY 10°
60M 40M 20M
60 40 20
SURVEY 10°
SURVEY 10°
3/24/81
SURVEY 10°
RPM 100
SURVEY 10° 30'
BIT NO 6
Hrs 28 1/2
Ftg 291'
SURVEY 10° 3/25/81
TRIP change BHA
2800
2900
3000
3100
LAT
TG
4M 8M 16M 24M 2M 2M 1M 2M
20 40 80 120
CO2
NOTE - SCALE CHANGE (temp)
2M 20° 110° 130°
10° 130°
2.5 27
25
50
slaty m-occ sl mica tr calc-pyr-qtz
PHY blk-occ dk gy m-vhd plty-blky sme sl fiss m slaty sl-m mica w/tr fol tr pyr tr qtz vns
PHY blk-dk gy m-vhd plty-blky sme sl fiss m-v ang m slaty sl-m mica w/tr fol tr pyr tr qtz vns
QTZT lt-dk gn dk gy tr wht v hd ang trnsl-opw/pyr & mafic inclu poss abunt chlorite
WT 8.8 pH 8.3
VIS 35 WL NC
FC 2 SOL 3
Cl⁻ 100 YP 10
PHY dk gy blk v hd plty-blky sl fiss v slaty sl-m mic mica calc v frac w calc frac fill w/occ qtz tr cl sl tr pyr
PHY dk gy-blk hd blky sme fiss ang occ pyr mic mica qtz & calc frac fill
PHY dk gy-blk m-vhd blky-plty v ang m slaty sl-mod mica w/tr fol sme qtz & calc frac fill
PHY dk gy-occ blk vhd blky-sl plty m brit v ang m-v slaty sl-m mica w/sme fol occ mic pyr sme qtz vns
PHY dk gy blk v hd blky v ang sl fiss sl-v mica v slaty sl frac w tr calc frac fill w/sl tr pyr
WT 8.8 pH 8.4
VIS 35 WL NC
FC 2 SOL 3
Cl⁻ 100 YP 6
PHY dk-m gy v hd plty-blky sl fiss m-v micmica slaty calc w/sl tr pyr qtz calc chlor
PHY dk gy blk v hd blky-sl plty sl-occ v micmica v slaty calc occ sl frac w tr calc frac fill w/occ