

OFFICE USE ONLY
 Log No. 25464
 Permit No. _____
 Basin Ruby V. 10-176

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. _____ (Attached) ✓
 ADDRESS AT WELL LOCATION Ruby Valley, NV

1. OWNER James A. Lind
 MAILING ADDRESS Ruby Valley, NV 89833

2. LOCATION NW ¼ SE ¼ Sec. 15 T. 32N N/S R. 60E E. Elkp County
 PERMIT NO. 37579
 Issued by Water Resources Parcel No. _____ Subdivision Name _____

3. TYPE OF WORK
 New Well Recondition
 Deepen Other
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal Industrial Stock Other Reverse

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Top Soil		0	5	
Fine to Med. Sand (Yell)		5	10	
Brown Clay		10	14	
Brn. Clay & Sm. Fine Sand		14	19	
Fine to Med. Gray Sand		19	24	
Fine to Crse. Sand (Various)		24	34	
Fine to Med. Sand (Golden)		34	44	
Fine to Crse. Sand (Various)		44	54	
Fine to Crse. Sand + Small Gravel		54	64	
Fine to Crse. Sand + Strks. Small Gravel		64	74	
Fine to Crse. Sand (Golden)		74	84	
Brn. Clay & Sand Mixed		84	87	
Fine to Crse. Sand (Gray)		87	94	
Fine to Crse. Sand (Golden)		94	101	
White Clay		101	104	
Fine to Crse. Sand w/some White Clay		104	114	
Fine to Crse. Sand w/some Clay		114	120	
White Clay & Sm. Amt. Sand		120	124	
Fine to Crse. Sand (Brown)		124	127	
White Clay & Siltstone MIXD.		127	134	
Clay & Sand Mixed		134	136	
Fine to Crse. Sand		136	143	
White Clay		143	154	

8. WELL CONSTRUCTION
 Diameter hole 28 inches Total depth 344 feet
 Casing record 16"
 Weight per foot 42.05 Thickness .250
 Diameter 16 inches From +1'4" To 58'8" feet
16 inches 203'8" feet 233'8" feet
16 inches 288'8" feet 298'8" feet
 Surface seal: Yes No Type Redi-Mix Concrete
 Depth of seal 21 feet
 Gravel packed: Yes No
 Gravel packed from 21 feet to 344 feet
 Perforations: Roseoe Moss Standard Screens
 Type perforation _____
 Size perforation (1/8)
 From 58'8" feet to 203'8" feet
 From 233'8" feet to 288'8" feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Date started 5/24/ 1984
 Date completed 5/26/ 1984

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
 G.P.M. _____ Draw down _____ feet _____ hours
 G.P.M. _____ Draw down _____ feet _____ hours
 G.P.M. _____ Draw down _____ feet _____ hours

9. WATER LEVEL
 Static water level 9'3" feet below land surface
 Flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ ° F. Quality _____

10. DRILLERS CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name PETE COPE DRILLING CO., INC.
 Address 6505 West Chinden Blvd. Meridian, Idaho 83642
 Nevada contractor's license number 13443
 Nevada contractor's drillers number 691
 Nevada driller's license number 1157
 Signed Pete Cope Actual Driller
 Contractor
 Date June 4, 1984

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. _____

1. OWNER James A. Lind ADDRESS AT WELL LOCATION _____
MAILING ADDRESS _____

2. LOCATION.....¼.....¼ Sec. T..... N/S R..... E..... County _____

PERMIT NO. _____ Issued by Water Resources Parcel No. _____ Subdivision Name _____

3. TYPE OF WORK
New Well Recondition
Deepen Other

4. PROPOSED USE
Domestic Irrigation Test
Municipal Industrial Stock Other

5. TYPE WELL
Cable Rotary
Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Fine to crse. sand & sm. amt. of clay in spots (Brown)		154	164	
Fine to crse. Sand		164	166	
White Clay		166	174	
" " w/Sm. Amt. Sand		174	184	
Fine to crse. Sand & Sm. Clay		184	189	
Fine to Med. Sand		189	194	
White Clay w/some sand		194	207	
Fine to crse. Sand & Sm. Amt. Cla& Pea Gravel (soft)		207	214	
Lt. Brn. Clay		214	229	
Fine to crse. sand + some clay mixed (Brown)		229	232	
Fine to crse. Sand & Pea Grav.		232	237	
Brown Clay		237	241	
Fine to crse. sand		241	244	
Lt. Brown Clay		244	254	
" " " & White Clay (Streaks of both)		254	268	
Fine to crse. sand		268	274	
Lt. Brn. Clay		274	284	
Lt. Brn. Clay w/ Strks. of Sand		284	294	
Lt. Brn. Clay		294	296	
Fne. to crse. Sand w/pea gravel		296	300	
Lt. Brn. Clay		300	304	
Lt. Brn. Clay & Siltstone		304	344	

Date started....., 19.....
Date completed....., 19.....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M. Draw down.....feethours
G.P.M. Draw down.....feethours
G.P.M. Draw down.....feethours

8. WELL CONSTRUCTION

Diameter hole.....inches Total depth.....feet
Casing record.....
Weight per foot..... Thickness.....
Diameter From To
.....inchesfeetfeet
Surface seal: Yes No Type.....
Depth of seal.....feet
Gravel packed: Yes No
Gravel packed from.....feet to.....feet
Perforations:
Type perforation.....
Size perforation.....
From.....feet to.....feet
From.....feet to.....feet
From.....feet to.....feet
From.....feet to.....feet
From.....feet to.....feet

9. WATER LEVEL

Static water level.....feet below land surface
Flow..... G.P.M. P.S.I.
Water temperature.....° F. Quality.....

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name..... Contractor

Address..... Contractor

Nevada contractor's license number.....

Nevada contractor's drillers number.....

Nevada driller's license number..... Actual Driller

Signed..... Contractor

Date.....

PETE COPE DRILLING CO., INC.
6505 WEST CHINDEN BLVD.
MERIDIAN, IDAHO 83642

LOG # 2546A

June 4, 1984

Office of the State Engineer
Division of Water Resources
201 South Fall Street
Carson City, Nevada 89710

Re: Waiver for James A. Lind Well
Permit # 37579

Location: NW ¼ SE ¼ Sec. 15 T. 32N R. 60E
Elko County, Ruby Valley, Nevada

Dear Sir:

Pertaining to our call to your office while drilling and casing the above named well, this is to request an official acknowledgement of the Waiver granted by telephone. The reason for the well being cemented only to twenty feet, was the fact that from twenty feet to fifty feet the material consisted of mostly sand and since it was a good water area, didnot want to cement the water off.

Thank you for your consideration.

Very truly yours,

PETE COPE DRILLING CO., INC.

Pete Cope
BY: PETE COPE

PC:mc