

Log No. 25931  
 Permit No. 49321  
 Basin 69



**WELL DRILLERS REPORT**

Please complete this form in its entirety

NOTICE OF INTENT NO. 466

PRINT OR TYPE ONLY

1. OWNER WINNEMUCCA FARMS, INC. ADDRESS AT WELL LOCATION Winnemucca Farms  
 MAILING ADDRESS P. O. BOX 312  
Winnemucca, NV 89445

2. LOCATION SE ¼ NE ¼ Sec. 25 T. 38N N/S R. 30E E. Humboldt County  
 PERMIT NO. 49321 (Re-Drill) Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK  
 New Well  Recondition   
 Deepen  Other

4. PROPOSED USE  
 Domestic  Irrigation  Test   
 Municipal  Industrial  Stock

5. TYPE WELL  
 Cable  Rotary   
 Other  Reverse

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sandy Clay		0	4	28"
Sandy Clay w/colechia		4	13	
Fine to Coarse Sand		13	28	
Fine to Crse. sand w/pcs. sandstone		23	53	
Fine Sand & Chunks Sandstone		53	63	
Fine to crse. sand w/Clay pcs. mixed		63	73	
Fine to crse. sand w/clay sandwiched		73	83	
Fine to crse. sand(clean)		83	93	
4' Sandstone turning to fine to crse. granite		93	103	
Fine to crse. sand w/ some sandstone & Clay		103	113	
Fine to crse. sand		113	117	
Brown Clay		117	123	
Fine to crse. sand)pcs. sandstone & Clay		123	133	
Fine to crse. sand (clean)		133	143	
Fine to crse. sand w/ areas of clay		143	203	
Fine to crse. sand		203	213	
Fine to crse. sand w/clay mixed in		213	261	
Chunks Clay w/crse. sand		261	263	

8. WELL CONSTRUCTION  
 Diameter hole 28 inches Total depth 503 feet  
 Casing record 16"  
 Weight per foot 42.054 Thickness .250

Diameter	From	To
<u>16</u> inches	<u>+2</u> feet	<u>200</u> feet
<u>16</u> inches	<u>260</u> feet	<u>275</u> feet
<u>16</u> inches	<u>314</u> feet	<u>331</u> feet
<u>16</u> inches	<u>346</u> feet	<u>406</u> feet
<u>16</u> inches	<u>415</u> feet	<u>435</u> feet
<u>16</u> inches	<u>444</u> feet	<u>453</u> feet

Surface seal: Yes  No  Type Concrete  
 Depth of seal .50' feet  
 Gravel packed: Yes  No   
 Gravel packed from 50 feet to 503 feet

Perforations: Roscoe Moss Standard & Pul-Flu Screens  
 Type perforation  
 Size perforation .080  
 From 200 (Pul-Flu) feet to 260 feet  
 From 275 (Standard) feet to 314 feet  
 From 331 " feet to 346 feet  
 From 406 " feet to 415 feet  
 From 435 " feet to 444 feet

9. WATER LEVEL  
 Static water level 80 feet below land surface  
 Flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ ° F. Quality \_\_\_\_\_

10. DRILLERS CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name PETE COPE DRILLING CO., INC.  
6505 W. Chinden Blvd.  
 Address Meridian, ID 83642  
 Contractor  
 Nevada contractor's license number 13443  
1457  
 Nevada contractor's drillers number  
 Nevada driller's license number 1456  
 Actual Driller  
 Signed Pete Cope  
 Contractor  
 Date May 5, 1986

Date started April 23, 1986  
 Date completed April 26, 1986

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
 G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours

WHITE—DIVISION OF WATER RESOURCES  
CANARY—CLIENT'S COPY  
PINK—WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
Log No. ....  
Permit No. ....  
Basin .....

WELL DRILLERS REPORT

PRINT OR TYPE ONLY

Please complete this form in its entirety

NOTICE OF INTENT NO. ....

1. OWNER WINNEMUCCA FARMS, INC. ADDRESS AT WELL LOCATION .....

MAILING ADDRESS .....

2. LOCATION ..... 1/4 ..... 1/4 Sec. T. .... N/S R. E. .... County .....

PERMIT NO. .... Issued by Water Resources Parcel No. .... Subdivision Name .....

3. TYPE OF WORK

New Well  Recondition   
 Deepen  Other

4. PROPOSED USE

Domestic  Irrigation  Test   
 Municipal  Industrial  Stock

5. TYPE WELL

Cable  Rotary   
 Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sandwiched clean sand		263	273	
w/some chunks clay & sand				
Sand w/varying amt. clay		273	310	
Fine to Med. Sand		310	313	
Granite Sand (Hard)		313	315	
Brown Clay		315	323	
Brown Siltstone		323	330	
Sand & Clay Mixed		330	333	
Fine to Med. Sand		333	336	
Sand & Clay Mixed		336	343	
Brown Clay		343	348	
Fine to med. sand w/				
Brn. Clay mixed.		348	353	
Brn. Sandstone & Clay Mxd.		353	363	
Brn. Siltstone & Clay Mxd.		363	368	
Brn. Clay		368	373	
Brn. Clay & Sandstone		373	383	
Brn. Clay & Siltstone		383	410	
Fine to Med. Sand		410	415	
Brn. Clay		415	423	
Brn. Clay & Sandy				
Siltstone		423	435	
Fine to Med. Sand				
(Various Colors)		435	442	
Sand & Sma. Gravel +				
Brn. Clay Mxd.		442	444	
Brown Clay		444	453	

8. WELL CONSTRUCTION

Diameter hole ..... inches Total depth ..... feet

Casing record .....

Weight per foot ..... Thickness .....

Diameter	From	To
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet
..... inches	..... feet	..... feet

Surface seal: Yes  No  Type .....

Depth of seal ..... feet

Gravel packed: Yes  No

Gravel packed from ..... feet to ..... feet

Perforations:

Type perforation .....

Size perforation .....

From ..... feet to ..... feet

Date started ....., 19.....  
Date completed ....., 19.....

9. WATER LEVEL

Static water level ..... feet below land surface

Flow ..... G.P.M. .... P.S.I.

Water temperature ..... ° F. Quality .....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

10. DRILLERS CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name PETE COPE DRILLING CO., INC.  
Contractor

Address .....

Nevada contractor's license number .....

Nevada contractor's drillers number .....

Nevada driller's license number .....

Signed .....

Date .....

BAILER TEST

G.P.M. .... Draw down ..... feet ..... hours

G.P.M. .... Draw down ..... feet ..... hours

G.P.M. .... Draw down ..... feet ..... hours

