WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

1/6 OFFICE USE ONLY
Log No. 273364
Permit No.
Basin 6-83 Tracy Segment

NOTICE OF INTENT NO. 5953

1. OWNER Capriotti Const Co
MAILING ADDRESS 2995 Mill St Reno NV
ADDRESS AT WELL LOCATION Lockwood Trailer Park Court

2. LOCATION ¼ SW ¼ Sec. 16 T. 19 N/S R. 21 E Story County
~~PERMIT~~ NO W-183 (Issued by Water Resources) | Parcel No. | Subdivision Name

3. TYPE OF WORK: New Well ☒ Recondition ☐ Deepen ☐ Other ☐

4. PROPOSED USE: Domestic ☐ Irrigation ☐ Test ☒ Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL: Cable ☐ Rotary ☒ Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Brown Top Soil		0	3	
Boulder + Brown Clay		3	25	
Medium hard Black Volcanic Rock		25	200	
Hard Black Rock		200	210	
Broken Fracture Rock	210	210	221	
Soft Fractured Volcanic Rock		221	245	
Hard Black Rock		245	250	
Fracture Black Rocks		250	265	
Hard Black Rocks		265	273	
Fracture Black Rocks		273	282	
Fracture Red Rocks		282	286	
Fracture Green Rocks		286	291	
Soft Rocks, Mixed colors		291	300	

CONT'd NEXT PAGE

Date started ....., 19....
Date completed ....., 19....

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 6¼ inches Total depth 1900 feet
Casing record
Weight per foot ..... Thickness .....

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Cement
Depth of seal 200 feet
Gravel packed: Yes ☐ No ☐
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation
Size perforation
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... feet below land surface
Flow ..... G.P.M. ..... P.S.I.
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Paul E. Williams (Contractor)
Address 22 So Patterson Pl Sparks Nev (Contractor)
Nevada contractor's license number 14483
Nevada contractor's drillers number ~~1287~~ 957
Nevada driller's license number 1287
Signed Paul E. Williams Sr. (Actual Driller / Contractor)
Date April 22, 1986

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

2/6 OFFICE USE ONLY
Log No. 27364
Permit No.
Basin

NOTICE OF INTENT NO.

1. OWNER Capurotte Const Co
MAILING ADDRESS 2995 Mill St
Reno Nev

ADDRESS AT WELL LOCATION Lockwood Tractor Court

2. LOCATION ¼ NW ¼ Sec. 16 T. 19 N/S R. 21 E Story County
~~PERMIT~~ NO. W-183
Issued by Water Resources | Parcel No. | Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Hard Black Rock		300	310	
Soft Black Volcanic Rock		310	315	
Clay mixed with		315	320	
Black Volcanic Rock				
Gray Clay mixed with		320	340	
Volcanic Rock				
Fracture, gray		340	342	
Volcanic Rock				
Hard gray, Black		342	370	
+ white volcanic rock				
Fracture, hard		370	372	
Volcanic Rock				
Hard Volcanic Rock		372	380	
soft volcanic rock mixed		380	390	
with clay				
gray clay mixed with		390	412	
gray volcanic rock				
Fracture, Volcanic rock		412	413	
Hard Black Volcanic		413	430	
Rock				
Fracture Black Volcanic		430	434	
Rock				
Hard Black Volcanic		434	440	
Rock				
Fracture Volcanic Rock		440	441	
Hard Volcanic Rock		441	445	
Fracture		445	446	

Date started Feb 5, 19 86
Date completed April 5, 19 86

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 6 1/4 inches Total depth 1900 feet
Casing record
Weight per foot ..... Thickness .....

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type CEMENT
Depth of seal 600 feet
Gravel packed: Yes ☐ No ☒
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation
Size perforation
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... feet below land surface
Flow ..... G.P.M. ..... P.S.I.
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Paul Williams + Sons (Contractor)
Address 22 S Patterson (Contractor)
Nevada contractor's license number 14483
Nevada contractor's drillers number 957
Nevada driller's license number 1287
Signed Paul E. Williams Sr. (Actual Driller) (Contractor)
Date April 22, 1986

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627 CR434

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

3/6

OFFICE USE ONLY
Log No. 27364
Permit No.
Basin

T

NOTICE OF INTENT NO.

1. OWNER Capretti Const Co
MAILING ADDRESS 2995 Mill St. Reno Nev
ADDRESS AT WELL LOCATION Jackwood Timber Court

2. LOCATION ¼ SW ¼ Sec. 16 T. 19 N/S R. 21 E. Storey County
~~PERMIT~~ NO. W-153 (Issued by Water Resources) | Parcel No. | Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Hard Rock		446	451	
Fracture Volcanic Rock		451	453	
Hard Volcanic Rock		453	468	
Fracture Volcanic Rock		468	469	
Hard Black Volcanic Rock		469	495	
Fracture Volcanic Rock		495	497	
Hard Volcanic Rock		497	509	
Fracture Volcanic Rock		509	511	
Hard Volcanic Rock, mixed with gray clay		511	520	
Fracture Volcanic Rock		520	523	
Hard Volcanic Rock mixed with gray clay		523	529	
Fracture Volcanic Rock		529	531	
Hard Volcanic Rock		531	534	
Fracture Volcanic Rock		534	538	
Soft Red Volcanic mixed with Red clay		538	545	
Fracture, Red Volcanic rock mixed with gray and Red clay		545	565	
Red Volcanic Rock mixed with Red clay		565	570	
gray Volcanic Rock mixed with gray clay		570	575	
Fracture, Black gray Volcanic		575	577	

Date started ~~April 5~~ Feb 5, 19 8
Date completed April 5, 19 86

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 6¼ inches Total depth 1900 feet
Casing record
Weight per foot ..... Thickness .....

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type cement
Depth of seal 600 feet
~~Gravel packed:~~ Yes ☐ No ☐
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation
Size perforation
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... feet below land surface
Flow ..... G.P.M. ..... P.S.I.
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name PAUL WILLIAMS + SONS (Contractor)
Address 22 S. PATTERSON, SPARKS, NV (Contractor)
Nevada contractor's license number 1443
Nevada contractor's drillers number 957
Nevada driller's license number 1287 (Actual Driller)
Signed Paul E. Williams Sr. (Contractor)
Date April 22, 1986

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627 CR434

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

4/6 OFFICE USE ONLY
Log No. 27364
Permit No.
Basin

PRINT OR TYPE ONLY

NOTICE OF INTENT NO.

1. OWNER Capriotti Const. Co.
MAILING ADDRESS 2995 Mill St. Reno NV
ADDRESS AT WELL LOCATION Lockwood Trailer Court

2. LOCATION ¼ W2 ¼ Sec. 16 T. 19 N/S R. 21 E. Story County
~~PERMIT~~ NO. W 183 (Issued by Water Resources) Parcel No. Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☒ Rotary ☐
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Hard green and Black Volcanic rock mixed with gray clay		577	592	
Fracture, Black and green volcanic rock		592	593	
Red Volcanic Rock mixed with red clay		593	615	
soft Black Volcanic Rock		615	635	
Fell a foot without hitting anything		635	636	
Volcanic Rock mixed with gray and mostly red clay		636	660	
Fracture, Black Volcanic Rock		660	680	
gray and red clay		680	685	
Fracture Volcanic Rock		685	700	
gray and red clay		700	731	
gray clay and Volcanic Rock		731	735	
Fracture, gray Volcanic Rock		735	738	
gray Volcanic Rock mixed with gray clay		738	745	
gray clay		745	755	

Date started Feb 5, 1986
Date completed April 5, 1986

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 6¼ inches Total depth 1900 feet
Casing record
Weight per foot Thickness

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type cement
Depth of seal 600 feet
~~Gravel packed:~~ Yes ☐ No ☐
Gravel packed from feet to feet

Perforations:
Type perforation
Size perforation
From feet to feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level feet below land surface
Flow G.P.M. P.S.I.
Water temperature ° F. Quality

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Paul Williams + Sons
Contractor
Address 22 S Patterson, Sparks, NV
Contractor
Nevada contractor's license number 14483
Nevada contractor's drillers number 957
Nevada driller's license number 1287
Actual Driller
Signed Paul E. Williams
Contractor
Date April 22 1986

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627 CR434

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

5/6 OFFICE USE ONLY
Log No. 27364
Permit No.
Basin

PRINT OR TYPE ONLY

NOTICE OF INTENT NO.

1. OWNER Capriotti Const Co
MAILING ADDRESS 2995 Mill St Reno Nev
ADDRESS AT WELL LOCATION Lockwood Trailer Court

2. LOCATION ¼ W2 ¼ Sec. 16 T. 19 N/S R. 21 E Story County
~~PERMIT~~ NO. W183 (Issued by Water Resources) Parcel No. Subdivision Name

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Red Clay		755	762	
Fracture Volcanic Rock		762	765	
gray and red clay		765	790	
Fracture, gray Volcanic Rocks		790	820	
gray and red clay		820	870	
Fracture Volcanic Rock		870	890	
Fracture, Black Volcanic Rock		890	915	
soft Black Volcanic Rock		915	955	
Fracture Volcanic Rock		955	958	
soft Volcanic rock		958	995	
gray sticky clay		995	1000	
Red sticky clay		1000	1003	
gray sticky clay		1003	1016	
gray sticky clay		1016	1115	
volcanic rock		1115	1120	
gray and red clay		1120	1205	
fracture volcanic rock		1205	1206	
Red + gray clay		1206	1210	
fracture volcanic rock		1210	1212	
Volcanic rock		1212	1215	
fracture volcanic rock		1215	1216	
Hard gray clay		1216	1227	
Fracture, volcanic rock		1227	1229	
Red + gray clay		1229	1275	

Date started Feb 5, 1986
Date completed April 5, 1986

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 6 1/4 inches Total depth 1900 feet
Casing record
Weight per foot Thickness

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type cement
Depth of seal 600 feet
Gravel packed: Yes ☐ No ☐
Gravel packed from feet to feet

Perforations:
Type perforation
Size perforation
From feet to feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level feet below land surface
Flow G.P.M. P.S.I.
Water temperature ° F. Quality

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Paul Williams + Sons (Contractor)
Address 22 S. Patterson, Sparks, NV (Contractor)
Nevada contractor's license number 14483
Nevada contractor's drillers number 957
Nevada driller's license number 1287 (Actual Driller)
Signed Paul E. Williams Sr. (Contractor)
Date April 22 1986

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627 CR434

WHITE—DIVISION OF WATER RESOURCES
CANARY—CLIENT'S COPY
PINK—WELL DRILLER'S COPY

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

PRINT OR TYPE ONLY

6/6 OFFICE USE ONLY
Log No. 27564
Permit No.
Basin

NOTICE OF INTENT NO. 5963

1. OWNER Capriolli Corp. Co
MAILING ADDRESS 2945 Mill St
Reno, Nev 89502

ADDRESS AT WELL LOCATION Lockwood across River

2. LOCATION ½ SW ¼ Sec. 16 T. 19 N/S R. 21 E. Storey County
PERMIT NO. W 183 (Issued by Water Resources) Parcel No. Lockwood Trailer Court (Subdivision Name)

3. TYPE OF WORK
New Well ☒ Recondition ☐
Deepen ☐ Other ☐

4. PROPOSED USE
Domestic ☐ Irrigation ☐ Test ☒
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable ☐ Rotary ☒
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Hard Volcanic Rock		1275	1296	
Multi-colored clay		1296	1310	
Rock mixed with clay		1310	1350	
Multi-colored clay		1350	1500	
Multi color clay		1500	1900	
Plugging hole				
Heavy Bentonite from 1900 Back to 600 ft.				
Concrete grout from 600 ft to surface				
Bottom from 600 ft Back to 300 ft neat cement				
300 to surface 7 sack sand to cement mix.				

Date started Feb 5, 1986
Date completed April 5, 1986

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours
G.P.M. ..... Draw down ..... feet ..... hours

8. WELL CONSTRUCTION
Diameter hole 6 1/4 inches Total depth 1900 feet
Casing record
Weight per foot ..... Thickness .....

Diameter	From	To
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☒ No ☐ Type Cement
Depth of seal 600 feet
Gravel packed: Yes ☐ No ☐
Gravel packed from ..... feet to ..... feet

Perforations:
Type perforation
Size perforation
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet
From ..... feet to ..... feet

9. WATER LEVEL
Static water level ..... feet below land surface
Flow ..... G.P.M. ..... P.S.I.
Water temperature ..... ° F. Quality .....

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Paul Williams + Sons (Contractor)
Address 22 S. Patterson, Sparks, N (Contractor)
Nevada contractor's license number ~~[illegible]~~ 14483
Nevada contractor's drillers number 957
Nevada driller's license number 1287
Signed Paul E Williams Sr. (Actual Driller) (Contractor)
Date 4-22-86

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 6-81) O-627 CR434