

✓ 04 CBC

WELL DRILLER'S REPORT

Page 1 of 2 pages

NOTICE OF INTENT NO. 8546

PRINT OR TYPE ONLY

Please complete this form in its entirety

1. OWNER DOROTHY HEWITT & Stan Berndini ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS P.O. Box 4911 7500 Marie Way  
Sparks, NV 89432 Reno, NV 89510  
 2. LOCATION SW<sup>4</sup> NW<sup>4</sup> SW<sup>4</sup> 1/4 Sec. 04 T. 20 N/S R. 20 E. Washoe County  
 PERMIT NO. 83-440-63 Spanis Springs  
Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK  
 New Well  Recondition   
 Deepen  Other

4. PROPOSED USE  
 Domestic  Irrigation  Test   
 Municipal  Industrial  Stock

5. TYPE WELL  
 Cable  Rotary   
 Other  Air

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Top soil		0	1	1
Soft sandy with gravels and clay		1	6	5
Granite sands with brown clay		6	49	43
Soft zone		49	50	1
Granite sands with brown clay		50	78	28
Brown clay with some granite boulders		78	105	27
Soft zone		105	107	2
Brown sandy clay		107	112	5
Soft zone		112	115	3
Brown sandy clay		115	139	24
Weathered granite		139	141	2
Gray granite		141	161	20
Weathered granite		161	171	10
Soft weathered granite with streaks of white clays		171	186	15
Gray granite		186	205	19
Soft zone		205	209	4
Gray granite		209	218	9
Soft weathered granite with clay streaks		218	222	4
Gray granite		222	230	8
Soft zone		230	233	3

8. WELL CONSTRUCTION

Diameter 10 inches Total depth 358 feet  
6 inches  
         inches

Casing record 358' steel casing installed.  
 Weight per foot          Thickness 156

Diameter	From	To
<u>6 5/8"</u> inches	<u>0</u> feet	<u>358</u> feet

Surface seal: Yes  No  Type cement  
 Depth of seal 51 feet  
 Gravel packed: Yes  No   
 Gravel packed from 51 feet to 358 feet

Perforations:  
 Type perforation factory sawed slot  
 Size perforation 3/32 x 3 x 6 around  
 From 313 feet to 353 feet  
 From          feet to          feet  
 From          feet to          feet  
 From          feet to          feet  
 From          feet to          feet

Cont. on page 2.  
 Date started 4-3 1987  
 Date completed 4-6 1987

9. WATER LEVEL  
 Static water level 260 feet below land surface  
 Flow 15.5 G.P.M. P.S.I.  
 Water temperature cold °F Quality clear

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name Wayne Drilling, Inc. Contractor  
 Address P.O. Box 12370, Reno, NV 89510 Contractor  
 Nevada contractor's license number 22549 issued by the State Contractor's Board  
 Nevada contractor's driller's number 908 issued by the Division of Water Resources  
 Nevada driller's license number          issued by the Division of Water Resources, the on-site driller 923  
 Signed Wayne Drilling, Inc. By driller performing actual drilling on site or contractor  
 Date April 8, 1987

BAILER TEST

G.P.M.          Draw down          feet          hours  
 G.P.M.          Draw down          feet          hours  
 G.P.M.          Draw down          feet          hours

**WELL DRILLER'S REPORT**

Please complete this form in its entirety

Page 2 of 2 pages  
NOTICE OF INTENT NO. 8546

PRINT OR TYPE ONLY

1. OWNER Dorothy Hewitt & Stan Bernadini ADDRESS AT WELL LOCATION \_\_\_\_\_  
MAILING ADDRESS \_\_\_\_\_ 7500 Marie Way

2. LOCATION 1/4 Sec. T N/S R. E Washoe County  
PERMIT NO. 83-440-63 Spanish Springs  
Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK  
New Well  Recondition   
Deepen  Other

4. PROPOSED USE  
Domestic  Irrigation  Test   
Municipal  Industrial  Stock

5. TYPE WELL  
Cable  Rotary   
Other  Air

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Cont. from page 1		of 2	pages.	
Gray granite		233	260	27
Soft weathered granite with clay streaks		260	289	29
Soft zone		289	291	2
Granite		291	317	26
Soft fracture granite	X	317	321	4
Granite		321	333	12
Soft fracture granite	X	333	351	18
Granite		351	358	7

8. WELL CONSTRUCTION

Diameter \_\_\_\_\_ inches Total depth \_\_\_\_\_ feet  
\_\_\_\_\_ inches  
\_\_\_\_\_ inches

Casing record \_\_\_\_\_  
Weight per foot \_\_\_\_\_ Thickness \_\_\_\_\_

Diameter	From	To
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet

Surface seal: Yes  No  Type \_\_\_\_\_  
Depth of seal \_\_\_\_\_ feet  
Gravel packed: Yes  No   
Gravel packed from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Perforations:  
Type perforation \_\_\_\_\_  
Size perforation \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Date started \_\_\_\_\_, 19\_\_\_\_  
Date completed \_\_\_\_\_, 19\_\_\_\_

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

9. WATER LEVEL  
Static water level 260 feet below land surface  
Flow 15.5 G.P.M. P.S.I.  
Water temperature cold °F Quality clear

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name Wayne Drilling, Inc.  
Contractor  
Address P.O. Box 12370, Reno, NV 89510  
Contractor  
Nevada contractor's license number issued by the State Contractor's Board 22549  
Nevada contractor's driller's number issued by the Division of Water Resources 908  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 923  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date April 8, 1987

BAILER TEST  
G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours  
G.P.M. \_\_\_\_\_ Draw down \_\_\_\_\_ feet \_\_\_\_\_ hours