ATTACHMENT TO P.O.C. 49102

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 30268
Rec. 194
Well No. 5-76 Fernley Area
Permit No. 49102
Do not fill in

Owner: BUREAU OF LAND MANAGEMENT Driller: .....

Address: P.O. Box 1950 Reno Nevada Address: ..... Lic. No. .....

Location of well: S.W. 1/4 SW 1/4 Sec. 6, T. 19 N/S R25 E, in Lyon County

or .....

Water will be used for: Stock watering Total depth of well: 242 Ft.

Size of drilled hole: ..... Weight of casing per linear foot: .....

Thickness of casing: ..... Temp. of water: Cool

Diameter and length of casing: 242 Ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure: .....

If nonflowing well give depth of standing water from surface: 195 Ft.

If flowing well describe control works: .....
(Type and size of valve, etc.)

Date of commencement of well: ..... Date of completion of well: .....

Type of well rig: .....

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	42	42	Large Brown boulders with some gravel.
42	195	153	Tough rocky clay Light gray in color.
195	225	130	Red Sandy clay.
225	227	2	Streaked sand + gravel.
227	242	15	Tough brown material

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 225 to 242 ft.

Other aquifers: .....

First water at 225 feet.

Casing perforated

from 228 to 242 ft.

Size of perforations: .....

(OVER)

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
	0	242	242	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Water Raised to 195 Ft. level. Known as Fernley Well

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By Dan Dolan

License No.....

Dated 11-12-, 1979

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 30268
Rec. 194
Well No. .....
Permit No. .....
Do not fill in

Owner: U.S. Dept of Interior BLM. Driller: .....
Address: P.O. Box 633, Carson City, Nevada Address: ..... Lic. No. .....
Location of well: SW 1/4 SW 1/4 Sec. 6, T. 19 N/S, R. 25 E, in Lyon County
or .....
Water will be used for Stockwater Total depth of well 242
Size of drilled hole 6" Weight of casing per linear foot .....
Thickness of casing ..... Temp. of water .....
6"? Diameter and length of casing 14" - 242
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
If flowing well give flow in c.f.s. or g.p.m. and pressure 12 gpm
If nonflowing well give depth of standing water from surface 195
If flowing well describe control works .....
(Type and size of valve, etc.)
Date of commencement of well 8/21/39 Date of completion of well 12/20/40
Type of well rig .....

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	42	42	Large brown boulders with some gravel
42	195	153	Tough rocky clay - light brown and yellow.
195	225	30	Red sandy clay
225	227	2	Streaked sand & gravel
227	242	15	Tough brown material

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 225 to ..... ft.
Other aquifers .....

First water at 225 feet.

Casing perforated
from ..... to ..... ft.

Size of perforations .....

(OVER)

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 194.....

(Not to be filled in by Driller)