

**WELL DRILLER'S REPORT**

Please complete this form in its entirety

PRINT OR TYPE ONLY

NOTICE OF INTENT NO. 10931

1. OWNER MRS OLM ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS 17450 N. Ridge Same  
Reno, NV 89506

2. LOCATION SW 1/4 SE 1/4 Sec 29 T 21N N/S R 18 E Washoe County  
 PERMIT NO. \_\_\_\_\_ Coldsprings Area- Northridge  
Issued by Water Resources Parcel No. Subdivision Name

3. TYPE OF WORK  
 New Well  Recondition   
 Deepen  Other

4. PROPOSED USE  
 Domestic  Irrigation  Test   
 Municipal  Industrial  Stock

5. TYPE WELL  
 Cable  Rotary   
 Other  Air

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
<u>WELL DEEPENING</u>				
<u>Opeen hole, uncased with fill</u>				
<u>Gray sandy clay</u>		<u>130</u>	<u>140</u>	<u>10</u>
<u>Dark gray sandy clay little softer</u>		<u>140</u>	<u>164</u>	<u>24</u>
<u>Soft zone (app 1/2 GPM)</u>	<u>X ?</u>	<u>164</u>	<u>171</u>	<u>7</u>
<u>Dark sandy clay w/some some boulders</u>		<u>171</u>	<u>174</u>	<u>3</u>
<u>Soft zone</u>		<u>174</u>	<u>209</u>	<u>35</u>
<u>Light gray sandy clay</u>		<u>209</u>	<u>211</u>	<u>2</u>
<u>Light brown harder clay w/some smaller boulders</u>		<u>211</u>	<u>225</u>	<u>14</u>
<u>Soft zone</u>		<u>225</u>	<u>250</u>	<u>25</u>
<u>Light brown sandy clay w/gravels</u>		<u>250</u>	<u>254</u>	<u>4</u>
<u>Soft zone</u>		<u>254</u>	<u>266</u>	<u>12</u>
<u>Brown sandy clay</u>		<u>266</u>	<u>270</u>	<u>4</u>
<u>Soft zone</u>		<u>270</u>	<u>271</u>	<u>1</u>
<u>Brown sandy clay</u>		<u>271</u>	<u>273</u>	<u>2</u>
<u>Soft zone</u>		<u>273</u>	<u>276</u>	<u>3</u>
<u>Brown sandy clay</u>		<u>276</u>	<u>276 1/2</u>	<u>1/2</u>
<u>Brown to gray volcanic rock</u>		<u>276 1/2</u>	<u>307</u>	<u>30 1/2</u>
<u>Soft zone</u>		<u>307</u>	<u>310</u>	<u>3</u>
<u>Brown to gray volcanic rock</u>		<u>310</u>	<u>313</u>	<u>3</u>
		<u>313</u>	<u>340</u>	<u>27</u>

Date started 9-1-88, 19\_\_\_\_  
 Date completed 9-3-88, 19\_\_\_\_

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST

G.P.M.	Draw down	feet	hours

8. WELL CONSTRUCTION  
 Diameter 5"OD inches Total depth 330 feet  
 \_\_\_\_\_ inches  
 \_\_\_\_\_ inches  
 Casing record 330' steel liner installed  
 Weight per foot \_\_\_\_\_ Thickness .134  
 Diameter From To  
5" liner inches \_\_\_\_\_ feet \_\_\_\_\_ feet  
 \_\_\_\_\_ inches \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Surface seal: Yes  No  Type N/A  
 Depth of seal \_\_\_\_\_ feet  
 Gravel packed: Yes  No   
 Gravel packed from 100 feet to 330 feet  
 Perforations:  
 Type perforation factory sawed slot  
 Size perforation 3/32 x 3 x 6 around  
 From 110 feet to 150 feet  
 From 170 feet to 190 feet  
 From 250 feet to 270 feet  
 From 290 feet to 310 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level 85 feet below land surface  
 Flow 5 G.P.M. P.S.I. \_\_\_\_\_  
 Water temperature cold °F Quality clear

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name Wayne Drilling, Inc.  
 Contractor  
 Address P.O. box 12370, Reno, Nv 89510  
 Contractor  
 Nevada contractor's license number issued by the State Contractor's Board 22549  
 Nevada contractor's driller's number issued by the Division of Water Resources 908  
 Nevada driller's license number issued by the Division of Water Resources the on site driller 908  
 Signed [Signature]  
 By driller performing actual drilling on site or contractor  
 Date September 7, 1988