



WELL CONSTRUCTION	CHEMICAL ANALYSES		BLOW COUNT	DEPTH (feet)	SAMPLE NUMBER	LITHOLOGY SYMBOL	U.S.C.S. DESIGNATION	SOIL DESCRIPTION
	LABORATORY	FIELD						
				0			SM	
				5				
				10				
				15				
				20				Water first encountered
				25				BROWN CLAYEY SILTY SAND (SM), wet, 20-40% low plastic fines
							SC	

EQUIPMENT: CME 55 HOLLOW STEM AUGER RIG  
 TOTAL DEPTH: 26.6 feet  
 DATE DRILLED: 8-10-89

LOGGED BY: DJK  
 DIAMETER of BORING:  
 WATER ENCOUNTERED AT: 16.9 feet



HOYT WATER HEATER COMPANY  
 RENO/STEAD, NEVADA

LOG OF MONITORING WELL

PLATE

8

WELL CONSTRUCTION	CHEMICAL ANALYSES		BLOW COUNT	DEPTH (feet)	SAMPLE NUMBER	LITHOLOGY SYMBOL	U.S.C.S. DESIGNATION	SOIL DESCRIPTION
	LABORATORY	FIELD						
			90	25				BLACK SILTY CLAYEY SAND (SC), slightly moist, very dense, 20-35% low plastic fines, coarse medium sand, hole caved to 25 ft, 6 inches
				30				
				35				
				40				
				45				
				50				

 KLEINFELDER

HOYT WATER HEATER COMPANY  
RENO/STEAD, NEVADA

LOG OF MONITORING WELL

MW-5 (CONT.)

PLATE

8