


WELL DRILLER'S REPORT

Please complete this form in its entirety

NOTICE OF INTENT NO. 1-6211

PRINT OR TYPE ONLY

1. OWNER John Whipple ADDRESS AT WELL LOCATION \_\_\_\_\_  
 MAILING ADDRESS Po Box 164 \_\_\_\_\_  
Lund NV 89317 \_\_\_\_\_  
 2. LOCATION N.E. 1/4 SW 21 T. 12 N/S R. 67 E White Pine County \_\_\_\_\_  
 PERMIT NO. 27465 Block 16 Lot 8 Lund ten acre plat Subdivision Name \_\_\_\_\_  
Issued by Water Resources Parcel No.



3. TYPE OF WORK	4. PROPOSED USE	5. TYPE WELL
New Well <input type="checkbox"/> Recondition <input type="checkbox"/>	Domestic <input type="checkbox"/> Irrigation <input checked="" type="checkbox"/>	Test <input type="checkbox"/> Cable <input checked="" type="checkbox"/> Rotary <input type="checkbox"/>
Deepen <input checked="" type="checkbox"/> Other <input type="checkbox"/>	Municipal <input type="checkbox"/> Industrial <input type="checkbox"/> Stock <input type="checkbox"/>	Other <input type="checkbox"/>

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
The Well was originally 375' deep cased 16" to the bottom				
Clay-gravel		375	380	5'
Clay		380	395	15
Sandy Clay-gravel	-	395	402	7
Sandy Clay		402	407	5
Sandy Clay-gravel		407	417	10
Sandy Clay-More gravel	-	417	422	5
Sandy clay		422	450	28
Sandy Clay gravel		450	455	5
Sandy Clay		455	463	8
Sandy Clay - Sand	-	463	470	7
Sandy Clay		470	480	10
Mostly Sandy Clay with thin fine sand & gravel streaks		480		45'
			525	

8. WELL CONSTRUCTION

Diameter 16" to 375 inches Total depth 525 feet  
10" inches  
 \_\_\_\_\_ inches  
 \_\_\_\_\_ inches

Casing record 160'  
 Weight per foot \_\_\_\_\_ Thickness 188

Diameter	From	To
<u>8 5/8</u> inches	<u>365</u> feet	<u>525</u> feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet
_____ inches	_____ feet	_____ feet

Surface seal: Yes  No  Type N/A  
 Depth of seal N/A feet  
 Gravel packed: Yes  No   
 Gravel packed from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Perforations:  
 Type perforation mill  
 Size perforation 1/8 x 3 x 810W  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From 365 feet to 525 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Date started Feb 15 1991  
 Date completed March 15 1991

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump
<u>None</u>			

BAILER TEST

G.P.M.	Draw down	feet	hours
<u>N/A</u>			

9. WATER LEVEL

Static water level 70 feet below land surface  
 Flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Nathan R Maynard Contractor  
 Address Po Box 174 Lund NV 89317 Contractor  
 Nevada contractor's license number issued by the State Contractor's Board 0022869  
 Nevada contractor's driller's number issued by the Division of Water Resources 1538  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1556  
 Signed Nathan Maynard By driller performing actual drilling on site or contractor  
 Date April 5 - 91