

APR 9 1991

SAFETY DIVISION



U.S. Technical Environmental
Consulting, Inc.

April 5, 1991

Mr. Steven M. McConnell
Division Manager
Occupational/Environmental Safety
Coca-Cola Enterprises - West
14655 Wicks Boulevard
San Leandro, California 94577

RE: WELL ABANDONMENT, COCA-COLA ENTERPRISES - WEST, LAS VEGAS,
NEVADA. JOB NO. 89086.04.

Dear Mr. McConnell:

USTEC has completed the abandonment of five groundwater monitoring wells at the Coca-Cola Enterprises - West (CCE-W) facility in Las Vegas, Nevada. The wells are located in the northwest quarter of the southeast quarter, Section 36, Township 20 South, Range 61 East. The well abandonment was requested by Mr. Raul Ramirez CCE-W and authorized by you on behalf of CCE-W.

The abandonment procedures were completed March 15, 1991 by Mooney Drilling (M 1534), Las Vegas, Nevada under the supervision of a U.S. Technical Environmental Consulting, Inc. (USTEC) geologist. The wells were abandoned by removing the concrete pads and seals at each well. The screened interval of each well casing was then filled with a cement grout. The riser section of each well casing was then removed along with the bentonite seal and sand pack to a depth of about three to five feet. The upper section of each bore hole was then pumped full of cement/grout to within two feet of surface. The upper two feet was then filled with native soil to surface grade level to complete the abandonment.

USTEC recommends that a copy of this well abandonment letter be submitted to the Nevada Division of Water Resources at the following address:

Nevada Division of Water Resources
Attention: Dean Goodale
1515 East Tropicana #375
Las Vegas, Nevada 89119

We appreciate the opportunity to provide continued environmental services to Coca-Cola Enterprises. If you have any questions concerning this report, please call us at (602) 829-6311.

Sincerely,

U.S. TECHNICAL ENVIRONMENTAL CONSULTING, INC.

David N. Didier

David N. Didier
Senior Staff Hydrogeologist

Steven M. Myers

Steven M. Myers, R.G.
President

/skc

Attachments

