

OFFICE USE ONLY
 Log No. 38851
 Permit No. 091
 Basin. 091

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 15387

1. OWNER Hydro-Search, Inc. ADDRESS AT WELL LOCATION Wells Manufacturing
 MAILING ADDRESS 5259 S. Virginia St. Ste. 280 2 Erik Circle
Reno, Nevada 89502 Verdi, Nevada
 2. LOCATION SE 1/4 SE 1/4 Sec 8 T 19N N/S R 18 E Washoe County
 PERMIT NO. M/O 363 MW-2B Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other Tubex 190

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Clayey gravel, soil 20% clay, dark olive gray		0	2	2
Gravel, 10% sand, 10% clay, olive brown		2	6	4
Gravelly sand		6	8	2
Gravel, coarse, no clay clasts predominantly basalt		8	13	5
Gravel, 10% sand, 5% clay, 70-80% basalt clasts, 20-30% granitic		13	38	25
Sandy gravel		38	85	47
Sandy gravel, 40% sand no clay, mixed lith. 50% granitic, 40% basalt 10% andesite		38	85	47
Clast lith. alkali/feld- spar rich plutonic rock-quartz syenite		81	83	2
Silty clay, med. stiff very dark grayish brown		86	89	3

8. WELL CONSTRUCTION
 Depth Drilled 89' Feet Depth Cased 10' Feet
 HOLE DIAMETER (BIT SIZE)
 From To
9 5/16 Inches 0 Feet 89 Feet
 _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2" PVC		SCH 40	0	89
2" PVC end cap				
2" PVC locking cap				

Perforations:
 Type perforation factory sawed slot
 Size perforation .020 x 1 1/4 x 3 rows
 From 79 feet to 89 feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet
 From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
 Depth of Seal 61.9 cement Neat Cement
 Placement Method: Pumped Cement Grout
61.9-72.3 ft Tiered bentonite slurry into Concrete Grout
 Gravel Packed: Yes No annulus
 From 72.3 feet to 89 (#3 sand) feet

9. WATER LEVEL
 Static water level 18.92 (3/18/92) feet below land surface
 Artesian flow not known G.P.M. _____ P.S.I. _____
 Water temperature 50.3 °F Quality not known

Date started 3/5/91, 19____
 Date completed 3/6/91, 19____

7. WELL TEST DATA

TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Wayne Drilling, Inc. Contractor
 Address P.O. Box 12370, Reno, Nevada 89510 Contractor
 Nevada contractor's license number 22549 issued by the State Contractor's Board
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 908
 Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date March 31, 1992