

STATE OF NEVADA  
 DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
 Log No. 43182  
 Permit No. 1  
 Basin 7-92B  
 NOTICE OF INTENT NO. 21852

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

1. OWNER TRUMAN JACKSON ADDRESS AT WELL LOCATION Same  
 MAILING ADDRESS 3495 War Paint  
Reno, NV 89506  
 2. LOCATION NW 1/4 SE 1/4 Sec. 11 T. 20N N/S R. 19 E. Washoe County  
Golden Valley  
 PERMIT NO. 088-171-11 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED:  New Well  Replace  Recondition  Deepen  Abandon  Other  
 4. PROPOSED USE:  Domestic  Municipal/Industrial  Irrigation  Monitor  Test  Stock  
 5. WELL TYPE:  Cable  Rotary  RVC  Air  Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
WELL ABANDONMENT:				
STATIC WATER LEVEL AT <u>138 FEET</u>				
TOTAL DEPTH OF WELL AT <u>231 FEET.</u>				
Attempt to pull casing. No go.				
Perforate with down hole air perforator.				
Perforate 3 rows around/15 holes per/ft.				
Approximate $\frac{1}{4}$ to $2\frac{1}{2}$ "				
Top of liner at 11 feet.				
Set tremie line to 231 feet.				
Pump 38 sacks of Cement type II, fill hole to surface. Pull tremie pipe.				
12-16-93				
Cut casing below grade.				
Finish with 9 sacks cement type III				
Location:				
<u>SE corner of property</u>				
<u>37 feet off S fence.</u>				
<u>24 feet off E fence</u>				

8. WELL CONSTRUCTION  
 Depth Drilled 231 Feet Depth Cased 231 Feet  
 HOLE DIAMETER (BIT SIZE)  
 From \_\_\_\_\_ To \_\_\_\_\_  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
 Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<b>ABANDON</b>				

Perforations:  
 Type perforation \_\_\_\_\_  
 Size perforation \_\_\_\_\_  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Neat Cement  
 Cement Grout  
 Concrete Grout  
 Placement Method:  Pumped  Poured  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level 138 feet below land surface  
 Artesian flow not known G.P.M. P.S.I.  
 Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.

Name Wayne Drilling, Inc. Contractor  
 Address P.O. Box 12370 Contractor  
Reno, NV 89510

Nevada contractor's license number 22549  
 issued by the State Contractor's Board  
 Nevada driller's license number issued by the Division of Water Resources the on-site driller. 908  
 Signed [Signature]  
 By driller performing actual drilling on site or contractor  
 Date December 20, 1993

Date started 12-15-93 19\_\_\_\_  
 Date completed 12-16-93 19\_\_\_\_

7. WELL TEST DATA

TEST METHOD:	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	G.P.M.	
STATE ENGINEER'S OFFICE DEC 20 1993		



STATE

DEPT. OF REVENUE