

Log No. **48508**
 Permit No. _____
 Basin **081**
 page 1 of 2 pages
 NOTICE OF INTENT NO. 22856

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

Consultant:

1. OWNER Broadbent & Associates, Inc. ADDRESS AT WELL LOCATION _____
 MAILING ADDRESS 1000 Bible Way, Suite 57 Allied Petroleum
Reno, Nv 89502 2500 E. 4th St. Reno, NV
 2. LOCATION 1/4 087 1/4 Sec. 7 T. 19N N/S R. 20 E Washoe County
 PERMIT NO. M/O 702-A SP4 008-228-01 E. Reno Area
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE Cable Rotary RVC
 Air Other Tubex _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Gravelly Silt: Silty gravels, gravel-sand-silt mixtures.		0	1	1
Clay: Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays		1	2	1
Gravelly Sand: Poorly grades sands, gravelly sands little or no fines		2	19	17
Boulder:		19	24	5
Gravel and cobbles with some coarse sand; Well-graded gravels, gravel-sand mixtures, little or no fines.		24	50	26
Gravel and cobbles with some coarse sand: Well-graded gravels, gravel-sand mixtures, little or no fines.		50	54	4
Gravel-sand-silt: Silty gravels, gravel-sand-silt mixtures.		54	62	8
Clay: Inorganic clays of low to midium plasticity, gravelly clays, sandy clays, silty clays, lean clays.		62	64	2

8. WELL CONSTRUCTION
 Depth Drilled 80 Feet Depth Cased 80 Feet
 HOLE DIAMETER (BIT SIZE)
 From 7 1/4 Inches To 80 Feet
 _____ Inches _____ Feet
 _____ Inches _____ Feet
 _____ Inches _____ Feet
 CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
2" PVC		SCH 80	0	80
End Cap- Locking Cap				
8" Steel fluch mount				

 Perforations:
 Type perforation Factory Sawn Slot
 Size perforation .020
 From 7.5 feet to 80 feet
 From _____ feet to _____ feet
 Surface Seal: Yes No Seal Type: Neat Cement
 Depth of Seal 3-65 Cement Grout
 Placement Method: Pumped Poured Concrete Grout
 Bentonite Seal: 65-71 #3 Silica Sand:
 Gravel Packed: Yes No
 From 7.1 feet to 80 feet

(continued on)
 Date started 1/24/95, 19____
 Date completed 1/24/95, 19____

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
No Test			
<i>Struggled by log 122460</i>			

9. WATER LEVEL
 Static water level NA feet below land surface
 Artesian flow NA G.P.M. NA P.S.I.
 Water temperature NA °F Quality NA

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Wayne Drilling Inc. Contractor
 Address P.O. Box 12370 Contractor
Reno, NV 89510
 Nevada contractor's license number 22549
 issued by the State Contractor's Board
 Nevada driller's license number issued by the Division of Water Resources, the on site driller 908
 Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date March 13, 1995

