

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

Log No. 48720
 Permit No. 187
 Basin 1

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Consultant:

1- OWNER Broadbent & Associates, Inc. ADDRESS AT WELL LOCATION Allied Petroleum
 MAILING ADDRESS 1000 Bible Way Suite 57 2500 E. 4th St. Reno, Nv
Reno, Nevada 89502
 2. LOCATION 1/4 087 1/4 Sec 7 T 19N N/S R 20 E Washoe County
 PERMIT NO. M/O 702-A V-2 008-228-01 E. Reno Area
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED New Well Replace Recondition Deepen Abandon Other
 4. PROPOSED USE Domestic Municipal/Industrial Irrigation Monitor Test Stock
 5. WELL TYPE Cable Rotary RVC Air Other Tubex

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Silty sands: silty sands sand-silt mixtures.		0	4	4
Gravelly sand: Well-graded sands, gravelly sands little or no fines.		4	17	13
Bldrs/cbls/grvl: Well-graded gravels, gravel-sand mixtures, little or no fines.		17	19	2
Gravelly clay: Clayey gravels, gravel-sand clay mixtures.		19	21	2
Silty gravel: Silty gravels, gravel-sand-silt mixtures.		21	30	19
Bldrs/cbls/grvl: Well-graded gravels, gravel-sand mixtures, little or no fines.		30	52	22
Sandy gravel: Poorly-graded gravels, gravel-sand mixtures, little or no fines.		52	60	8
<i>Plugged by log 12/4/93</i>				

8. WELL CONSTRUCTION
 Depth Drilled 60 Feet Depth Cased 60 Feet
 HOLE DIAMETER (BIT SIZE)
 From 9 5/16 Inches To 0 Feet 60 Feet
 _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4" PVC		SCH80	0	60
End Cap: Locking Cap				
8" Steel flush mount.				

Perforations:
 Type perforation factory sawed slot
 Size perforation .020
 From 39 feet to 60 feet
 From _____ feet to _____ feet
 Surface Seal: Yes No Seal Type: Neat Cement Cement Grout Concrete Grout
 Depth of Seal 5-35
 Placement Method: Pumped Poured
 Bentonite Seal: 35-37
 Gravel Packed: Yes No #3 Silica Sand
 From 37 feet to 60 feet

9. WATER LEVEL
 Static water level NA feet below land surface
 Artesian flow NA G.P.M. NA P.S.I.
 Water temperature NA °F Quality NA

Date started 1/30/95, 19____
 Date completed 2/1/95, 19____

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			
No Test			

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Wayne Drilling Inc. Contractor
 Address P.O. Box 12370 Contractor
Reno, Nv 89510
 Nevada contractor's license number issued by the State Contractor's Board 22549
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 908
 Signed Wayne Drilling Inc.
 By driller performing actual drilling on site or contractor
 Date March 16, 1995