

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 32558

1. OWNER PETER STREMMEL ADDRESS AT WELL LOCATION Old Chevron Station  
 MAILING ADDRESS 1400 So. Virginia Street Exit 2 - I-80 West  
Reno, Nevada 89502 Verdi, Nevada  
 2. LOCATION SE 1/4 SE 1/4 Sec 18 T 19N N/S R 18 E Washoe County  
 PERMIT NO. 038-230-07 West Veri area  
Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other

4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
DEMESTIC WELL ABANDONMENT:				
9-6-95				
Total depth: 162 feet				
Static water level: 109.28 feet				
Perforator fits very tight in casing est. 1/16" clearance. Casing thickness 5/16" wall				
Several obstructions in casing, probably welded joint 30' - 40'. Have to push perforator through tight spots. Start perforate at surface				
4 holes around - 155 perforations total.				
Install tremie line. Pressure pump 60 sacks cement. First lift. Fluid level at 45 feet.				
9-7-95				
Total depth: 50.6 feet				
No water at fluid level.				
Pressure pump 62 sacks cement. Second lift. Let settle. Cut casing below grade.				
Pour 8 sacks cement from top. Finish at grade				
128 sacks total Cement Type II				
Location:				
2 feet W of private driveway.				
30 feet S of frontage road on S side of I-80 W				
Date started <u>9-6-95</u> , 19				
Date completed <u>9-7-95</u> , 19				

8. WELL CONSTRUCTION

Depth Drilled            Feet Depth Cased            Feet

HOLE DIAMETER (BIT SIZE)

Inches	Feet	Feet
From	To	
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>

CASING SCHEDULE

Size O.D. (Inches)	Weight Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>

Perforations:

Type perforation           

Size perforation           

From            feet to            feet

Surface Seal:  Yes  No Seal Type:  Neat Cement  Cement Grout  Concrete Grout

Depth of Seal           

Placement Method:  Pumped  Poured

Gravel Packed:  Yes  No

From            feet to            feet

9. WATER LEVEL

Static water level            feet below land surface

Artesian flow            G.P.M.            P.S.I.

Water temperature            °F Quality           

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name WAYNE DRILLING, INC. Contractor

Address P.O. BOX 12370 Contractor  
RENO, NEVADA 89510

Nevada contractor's license number issued by the State Contractor's Board 22549

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 908

Signed [Signature] By driller performing actual drilling on site or contractor

Date September 12, 1995

7. WELL TEST DATA

TEST METHOD:  Bailer  Pump  Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>