

OFFICE USE ONLY
 Log No. 5-283
 Permit No. 087
 Basin

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 30622

1. Consultant: PARSONS ENGINEERING SCIENCE, INC. Client: GREYHOUND LINES, INC.
 OWNER: 290 Elwood Davis Road, Ste 312 ADDRESS AT WELL LOCATION: 460 West 2nd Street
 MAILING ADDRESS: Liverpool, New York 13088 Reno, Nevada
 2. LOCATION: DA NE 1/4 SE 1/4 Sec. 11 T. 19N N/S R. 19 E Washoe County
 PERMIT NO. R-272 M/O-175-A MW7 011-024-18 Downtown Reno, Nevada
 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition Deepen Abandon Other
 4. PROPOSED USE
 Domestic Irrigation Test Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
MONITOR WELL ABANDONMENT:				
Static water level @23.8 feet				
Total depth @27.8 feet				
Equipment used: F-800 water truck, F-450 support truck and 3 man crew Walnut Grove high pressure grout pump & mixer 26 feet x 1 1/4" dia tremie pipe.				
Materials used: 7 sack of Portland Cement Type II				
1. Measure static water level & total depth				
2. Glue threaded adapter to existing casing				
3. Set tremie pipe to bottom of casing.				
4. Pump neat cement from bottom to surface (6sk)				
5. Pull tremie, fill casing & attach from cement pump directly to casing.				
6. Pump cement @100 to 125 PSI squeezing cement through perforations into surrounding formations. (1 sack). When pressure increases, discontinue pumping				
7. Remove traffic cover, cement flush w/concrete				
Location: E of maintenance shop (midway)				
Date started 11-15-95, 19.....				
Date completed 11-15-95, 19.....				

8. WELL CONSTRUCTION

Depth Drilled.....Feet Depth Cased.....Feet

HOLE DIAMETER (BIT SIZE)
 From To
Inches.....Feet.....Feet
Inches.....Feet.....Feet
Inches.....Feet.....Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)

Perforations:
 Type perforation.....
 Size perforation.....
 From.....feet.....feet
 From.....feet to.....feet
 From.....feet to.....feet
 From.....feet to.....feet
 From.....feet to.....feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout

Placement Method: Pumped Poured

Gravel Packed: Yes No
 From.....feet to.....feet

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

9. WATER LEVEL

Static water level.....feet below land surface
 Artesian flow.....G.P.M. P.S.I.
 Water temperature.....°F Quality.....

10. DRILLER'S CERTIFICATION

This well was drilled under my supervision and the report is true to the best of my knowledge.

Name WAYNE DRILLING, INC. Contractor
 Address P.O. BOX 12370 RENO, NEVADA 89510 Contractor
 Nevada contractor's license number issued by the State Contractor's Board 22549
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 908
 Signed [Signature] By driller performing actual drilling on site or contractor
 Date November 21, 1995