

WELL DRILLER'S REPORT

Log No. 51223
 Permit No. 269 Paj/
 Basis

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 22814

1. OWNER Winnemucca Farms Inc. ADDRESS AT WELL LOCATION Paradise Hill 16 mile Rd
 MAILING ADDRESS P.O. Box 2130
Winnemucca NV 89446
 2. LOCATION SE 1/4 SE 1/4 Sec. 25 T39 N3 R38 @ Humboldt County
 PERMIT NO. 28025 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Sandy top soil	no	0	6	6 ft.
hard clay	no	6	8	2 ft.
coarse dark sand	no	8	15	7 ft.
flat rock and sand	no	15	24	9 ft.
Clay with streak of sand	no	24	98	74 ft.
brown clay some fine sand	yes	98	158	60 ft.
brown clay and coarse sand	yes	158	178	20 ft.
Pea gravel fine to coarse sand	yes	178	198	20 ft.
Brown clay	no	198	226	28 ft.
Fine to coarse sand	yes	226	236	10 ft.
Sandy brown clay	no	236	248	12 ft.
Fine to coarse sand	yes	248	258	10 ft.
Brown Clay	no	258	276	18 ft.
Fine to coarse sand	yes	276	281	5 ft.
Brown Clay	no	281	286	5 ft.
Coarse sand and pea gravel	yes	286	295	9 ft.
Brown clay	no	295	306	11 ft.
Fine to coarse sand	yes	306	310	4 ft.
Brown clay	no	310	330	20 ft.
Fine to coarse sand	yes	330	334	4 ft.
Brown Clay	no	334	359	25 ft.
Fine to coarse sand	yes	359	362	3 ft.
Brown clay	no	362	474	112 ft.
Brown clay streaks of sand	yes	474	484	10 ft.
Brown clay	no	484	529	45 ft.
Coarse sand and pea gravel	yes	529	532	3 ft.
Brown clay	no	532	534	2 ft.
Fine to coarse sand	yes	534	544	10 ft.
Silty brown clay	no	544	544	10 ft.

8. WELL CONSTRUCTION
 Depth Drilled 778 Feet Depth Cased 778 Feet
 HOLE DIAMETER (BIT SIZE)
 From 28 Inches To 778 Feet
 Inches Feet Feet Feet
 Inches Feet Feet Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
18	70.59	.375	+2	226
18	70.59	.375	236	248
18	70.59	.375	258	274
18	70.59	.375	284	304

Perforations:
 Type perforation Wire Wrap Screen
 Size perforation .040 inches
 From 226 feet to 236 feet
 From 248 feet to 258 feet
 From 274 feet to 284 feet
 From 304 feet to 314 feet
 From 324 feet to 334 feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout
 Depth of Seal 50 feet
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From 50 feet to 778 feet

9. WATER LEVEL
 Static water level 81 feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature cold °F Quality good

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name Riverside Inc. Contractor

Date started December 13, 1995
 Date completed January 5, 1996

7. WELL TEST DATA

TEST METHOD: Bailor Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

Address P.O. Box 720 Contractor
Parma, ID 83660
 Nevada contractor's license number issued by the State Contractor's Board 0030338
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1918
 Signed Dave Clemons
 By driller performing actual drilling on site or contractor
 Date 1/29/96

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY

Log No. 51223
 Permit No. _____
 Basin 069 Pgd

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 22814

1. OWNER Winnemucca Farms ADDRESS AT WELL LOCATION Paradise Hill Hermie Rd
 MAILING ADDRESS P.O. Box 2130
Winnemucca, NV 89410
 2. LOCATION SE 1/4 SE 1/4 Sec. 25 T. 39 S. R. 38 Humboldt County
 PERMIT NO. 28025 Issued by Water Resources Parcel No. Subdivision Name

3. WORK PERFORMED
 New Well Replace Recondition
 Deepen Abandon Other _____
 4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock
 5. WELL TYPE
 Cable Rotary RVC
 Air Other _____

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Coarse to fine sand	yes	551	574	20 ft.
Brown clay	no	574	604	40 ft.
Fine to coarse sand	yes	604	626	8 ft.
Brown clay	no	626	644	18 ft.
Fine to coarse sand	yes	644	652	8 ft.
Brown clay	no	652	674	22 ft.
Fine to coarse sand	yes	674	679	5 ft.
Brown clay streaks of sand	yes	679	709	30 ft.
Coarse sand	yes	709	712	3 ft.
Brown clay	no	712	724	12 ft.
Coarse sand	yes	724	732	8 ft.
Brown clay	no	732	740	8 ft.
Coarse to fine sand	yes	740	752	12 ft.
Brown clay	no	752	757	5 ft.
Coarse sand	yes	757	767	10 ft.
Brown clay	no	767	778	12 ft.

8. WELL CONSTRUCTION
 Depth Drilled 778 Feet Depth Cased 778 Feet
 HOLE DIAMETER (BIT SIZE)
 From 28 Inches 0 Feet 778 Feet
 To _____ Inches _____ Feet _____ Feet
 _____ Inches _____ Feet _____ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
18	70.59	.375	34	324
18	70.59	.375	334	334
18	70.59	.375	364	477
18	70.59	.375	484	524

Perforations:
 Type perforation _____
 Size perforation _____
 From 324 feet to 324 feet
 From 334 feet to 334 feet
 From 364 feet to 364 feet
 From 524 feet to 524 feet
 From 554 feet to 574 feet
 From 604 feet to 604 feet

Surface Seal: Yes No Seal Type:
 Neat Cement
 Cement Grout
 Concrete Grout
 Depth of Seal _____
 Placement Method: Pumped Poured
 Gravel Packed: Yes No
 From _____ feet to _____ feet

9. WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

Date started _____, 19____
 Date completed _____, 19____

7. WELL TEST DATA

TEST METHOD: Bailer Pump Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)

10. DRILLER'S CERTIFICATION
 This well was drilled under my supervision and the report is true to the best of my knowledge.
 Name _____ Contractor
 Address _____ Contractor
 Nevada contractor's license number issued by the State Contractor's Board _____
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller _____
 Signed _____ By driller performing actual drilling on site or contractor
 Date _____

