

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Hart Shank
Log of Deepening of Well.

Log No. 51509
Rec. _____ 19____
Well No. _____
Permit No. 20602
Do not fill in



Owner Mrs Louise B. McKee Driller G. H. McKinney & Son
Address 517 North lot, Las Vegas, Nev. Address 1042 S. Main Las Vegas Lic. No. 45
Location of well: NE 1/4 NW 1/4 Sec 1, T21 N/S, R60 E, in Clark Count
or _____

Water will be used for Domestic Total depth of well 270 ft.

Size of drilled hole 8" to 270 ft. Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 6" O.D. from 185 to 270 feet.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 130 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6-14-57 Date of completion of well 6-18-57

Type of well rig Hucyrus Erie 24 L. Soudder

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|-----------------------------|
| 195 | 219 | 54 | Cement gravel, water at 245 |
| 249 | 260 | 11 | cement gravel |
| 260 | 270 | 10 | gravel, water |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 260 to 270 ft.

Other aquifers 245 to 250

First water at 245 feet.

Casing perforated
from 210 to 270 ft.

Size of perforations
3'16 X 10"

