

OFFICE USE ONLY  
 Log No. 52178  
 Permit No. \_\_\_\_\_  
 Basin. 066 **I**

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

**WELL DRILLER'S REPORT**  
 Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 28412

1. OWNER S.F.P.G.C. - Twin Creeks ADDRESS AT WELL LOCATION 35 Miles NE of Golconda, NV  
 MAILING ADDRESS P.O. Box 69 Golconda, NV 89414  
 2. LOCATION NE 1/4 NE 1/4 Sec. 30 T. 39 S R. 43 E Humboldt County  
 PERMIT NO. M/O-793-D (MW-1D) 7-091-09 Issued by Water Resources Parcel No. \_\_\_\_\_ Subdivision Name \_\_\_\_\_

3. WORK PERFORMED  
 New Well  Replace  Recondition  Deepen  Abandon  Other Abandon  
 4. PROPOSED USE  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock  
 5. WELL TYPE  
 Cable  Rotary  RVC  Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Alluvium - Gravels				
Sands & Clays		0	622	622
Circulated 16 lb neat cement from 622 feet to surface				
PVC and hole was completely drilled out prior to abandonment				

8. WELL CONSTRUCTION  
 Depth Drilled 622 Feet Depth Cased 3 Feet  
 HOLE DIAMETER (BIT SIZE)  
 From To  
12 5/8 Inches 0 Feet 3 Feet  
6 1/2 Inches 3 Feet 622 Feet  
 \_\_\_\_\_ Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>8 5/8</u>	<u>32</u>	<u>0.30</u>	<u>0</u>	<u>3</u>
<u>2.5</u>	<u>Sch 80</u>	<u>PVC</u>	<u>+2</u>	<u>617</u>

Perforations:  
 Type perforation 2.5 Sch 80 PVC Screen  
 Size perforation 0.020 Slot  
 From 617 feet to 622 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

Surface Seal:  Yes  No Seal Type:  
 Depth of Seal 622 feet to surface  Neat Cement  
 Placement Method:  Pumped  Cement Grout  
 Poured  Concrete Grout  
 Gravel Packed:  Yes  No  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet

9. WATER LEVEL  
 Static water level 462.5 feet below land surface  
 Artesian flow none G.P.M. N.A. P.S.I.  
 Water temperature cool °F Quality clear

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name owned and operated by  
 Address S.F.P.G.C. - Twin Creeks  
Mine  
 Nevada contractor's license number Mine owned Rig  
 issued by the State Contractor's Board  
 Nevada driller's license number issued by the M-1934  
 Division of Water Resources, the on-site driller  
 Signed [Signature]  
 By driller performing actual drilling on site or contractor  
 Date 6-17-96

Date started May 30, 1996  
 Date completed May 31, 1996

7. WELL TEST DATA

TEST METHOD:  Bailer  Pump  Air Lift

G.P.M.	Draw Down (Feet Below Static)	Time (Hours)