

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 52385
 Rec. 19
 Well No.
 Permit No.
Do not fill in



Owner Jack Moe Driller S.R. McKinney & Sons, Inc.

Address Box 25, Indian Springs, Nevada Address 1012 So. Main Lic. No. 45

Location of well: $\frac{1}{4}$ Sec. T/6 N/S, R56 E, in Clark County

or Indian Springs, Nevada

Water will be used for Domestic Use Total depth of well 100'

Size of drilled hole 12" to 50', 10" to 100' Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water

Diameter and length of casing 8" ID from 0' to 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 44' 35'

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 7/7 6/15/62 Date of completion of well 6/18/62

Type of well rig Bucyrus Erie 24L

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	clay & gravel
25	28	3	gravel
28	35	8	clay & gravel
35	42	7	clay & gravel (water)
42	52	10	clay & gravel
52	75	23	cement gravel
75	77	2	clay
77	96	19	cement gravel (water)
96	100	4	cement gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 77 to 100' ft.

Other aquifers 35 to 42'

First water at 35 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

3/16" X 10"

