

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

52381
 Log No. 52381
 Rec. 
 Well No.
 Permit No. 21666
Do not fill in
Cancelled

Owner Charles Smith Driller S.R. McKinney and Sons, Inc.
 Address Indian Springs, Nevada Address 1042 So. Main St. Lic. No. 45
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 06, T. 16 N/S, R. 7 E, in Clark County
 or Approx. $\frac{1}{2}$ mile so. of Indian Springs, Store
 Water will be used for Domestic Total depth of well 100 feet
 Size of drilled hole 10" reamed 12" to 50 feet Weight of casing per linear foot 10 gauge
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" ID 100 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 20 feet
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 2/23/60 Date of completion of well 2/25/60
 Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16	16	gravel
16	22	6	gravelly clay
22	40	18	cement gravel water
40	65	25	cement gravel
65	70	5	cement gravel and sand
70	74	4	cement gravel <i>ce/</i>
74	77	3	cement gravel
77	80	3	gravel sand and clay
80	100	20	cement gravel and water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 80 to 100 ft.
 Other aquifers 22-40

First water at 22 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations
3/16" x 10"



