

X

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 52488
 Rec. 19
 Well No. 1
 Permit No. 27048
Do not fill in

MR. SALLYE
 Dr. Coburn

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Dr. Coburn Driller Patrick H. Thompson

Address Las Vegas, Nevada Address Las Vegas, Nevada Lic. No. 192

Location of well: 1/4 1/4 Sec. 16, T. 14 N/S, R. 65 E, in Clark County

Water will be used for Domestic Total depth of well 100'

Size of drilled hole 12" to 100' Weight of casing per linear foot 32#

Thickness of casing .250" Temp. of water Cool

Diameter and length of casing 12" dia. - 101' length
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 25'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 7/7/61 Date of completion of well 7/13/61

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	sand & gravel
5	10	5	boulders
10	19	9	gravel
19	50	31	red clay
50	51	1	gravel
51	60	9	red clay
60	88	28	sand and silt
88	100	12	gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 88 to 100 ft.

Other aquifers 50 - 51

First water at 51 feet.

Casing perforated
 from 50 to 100 ft.

Size of perforations
1/8 x 3 - 8 rows



