

WELL LOG REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 53355
 Rec. 19
 Well No. I
 Permit No. I
Do not fill in

Log on deepening job for George Meyer

Owner George Meyer Driller S. R. McKinney & Son

Address Box 3309, North Las Vegas, Nev. Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: $\frac{1}{4}$ Sec 6, T2/N/S, R59 E, in Clark County

or Located in Red Rock Canyon

Water will be used for Domestic Total depth of well 150 ft.

Size of drilled hole 8" to 150 ft. Weight of casing per linear foot 24 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 6" I.D. to 150 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 60 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Aug. 19, 1955 Date of completion of well Aug. 24, 1955

Type of well rig Bucynus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
65	100	35	grey sandy clay
100	110	10	red sandstone water
110	120	10	red sand water
120	140	20	red sandyclay
140	150	10	grey sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 100 to 120 ft.

Other aquifers _____

First water at 100 feet.

Casing perforated

from 60 to 70 ft.
100 to 150

Size of perforations

3/16" X 10"

