

WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA

Log No. 53645
 Rec. 19...
 Well No.
 Permit No.
 Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY
 DEEPENING JOB

Owner I. Gustofer Driller S.R. McKinney & Sons, Inc.

Address 5890 Dowan Road Address 1042 So. Main Lic. No 45

Location of well: SW 1/4 Sec. 12, T. 20 N/S, R. 60 E, in Clark County

Water will be used for Domestic Use Total depth of well 325'

Size of drilled hole 8" Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water

Diameter and length of casing 6" ID from 120' to 325'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 85'

If flowing well describe control works

Date of commencement of well 10/16/64 Date of completion of well 10/23/64

Type of well rig Ducyrus Erie 22W

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|-----------------------------------|
| 125 | 165 | 40 | brown sandy clay & gravel streaks |
| 165 | 175 | 10 | gravel streaks (water) |
| 175 | 208 | 33 | gravel & clay streaks |
| 208 | 325 | 133 | cement gravel (water) |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 208 to 325' ft.

Other aquifers 165 to 175'

First water at feet.

Casing perforated
 from 125 to 325 ft.

Size of perforations
3/16" x 10"

