


Hoff's

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 53650
Rec. 8/31 1954
Well No.
Permit No.
Do not fill in 0



Owner Richard M Hoff's Driller

Address Address Lic. No.

Location of well: 1/4 Sec., T. N/S, R. E, in County

or S.E. corner Sec 12 T20 Range 60E.

Water will be used for Domestic Total depth of well 120

Size of drilled hole 10" Weight of casing per linear foot 32 lb

Thickness of casing 1/4" Temp. of water

Diameter and length of casing 8" 40 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.

If nonflowing well give depth of standing water from surface 70 ft

If flowing well describe control works. (Type and size of valve, etc.)

Date of commencement of well 7/12/54 Date of completion of well 7/19/54

Type of well rig Cable tool 5" 71

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Surface sand
3	9	6	caliche
9	80	71	Shale
80	90	10	Sand some water
90	94	4	Hard rock
94	101	7	Sand 9 in water
101	110	9	Shale
110	120	10	Sand 9 in water

Water-bearing Formation, Casing Perforations, Etc.


Chief aquifer (water-bearing formation)
from 80 to 90 ft.
94 to 101 ft.
Other aquifers 120

First water at 80 feet.

Casing perforated from to no ft.

Size of perforations

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
			

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8"	0	40	40	cemented with 1 gal cement + sand Rammed in

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Bert Henry
Well Driller

By.....

License No. 63

Dated Aug 31, 1954

(Not to be filled in by Driller)
