

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 53944
 Rec. No. 19
 Well No.
 Permit No.



Do not fill in
 DAVIS
 Drilling Co.

Owner Ernest Woodrum Driller Paul McKesson (McKesson Drilling Co.)
 Address 2428 Michel Lane Address 131 North Third (Room 14) Lic. No 200
 Location of well: SE 1/4 1/4 Sec 24, T 20N, S, R 60E, in Clark County

Water will be used for Domestic Total depth of well 135

Size of drilled hole 8 inch Weight of casing per linear foot 11.6

Thickness of casing 10 Gage Temp. of water Cool

Diameter and length of casing 8 inch 135 long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 45 feet

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well August 18 Date of completion of well August 22

Type of well rig Keystone #50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Sand and Gravel
4	18	14	Cemented Gravel
18	27	9	Clay
27	35	9	Cemented Gravel
35	48	13	Caliche
48	58	10	Clay and Jyp Gravel
58	64	6	Gravel and (water)
64	98	34	Clay and Gravel
98	107	9	Gravel (water)
107	135	26	Brown Shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 98 to 107 ft.

Other aquifers

First water at 64 feet.

Casing perforated
 from 60 to 135 ft.

Size of perforations
1/2 slots staggered
 around casing



