

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54301
 Rec.....
 Well No.....
 Permit No.....
Do not fill in



Owner Betty Wilson Driller S.R. McKinney & Son

Address 3740 East Meikle, L.V. Address 1042 South Main, L.V. Lic. No. 45

Location of well: SE 1/4 NE 1/4 Sec. 21., T. 20N/S, R. 61E, in Clark County

or.....

Water will be used for Domestic Total depth of well 100'

Size of drilled hole 12" to 50 ft., 10" to 100 Weight of casing per linear foot 10 Guage

Thickness of casing 10 Guage Temp. of water.....

Diameter and length of casing 8" I.D. to 100 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well April 30, 1955 Date of completion of well May 2, 1955

Type of well rig 72 Speed Star, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	50	50	Brown Clay
50	56	6	Brown Clay
56	59	3	Brown Sand Water
59	74	15	White Clay
74	77	3	White Sand Water
77	85	8	White Clay
85	88	3	Brown Sand water
88	100	12	Brown Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 85 to 88 ft.

Other aquifers 74' to 77'
56' to 59'

First water at 56 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations
3/16" x 10"

