

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54318  
 Rec. 19  
 Well No. 105  
 Permit No.           
*Do not fill in*

Owner Norman E. Mott Driller Effinger Bros.

Address 1236 South 8th Place Address 212 Anderson Lane Lic. No. 105

Location of well: 1/4 Sec. 14, T20 N/S, R61 E, in Clark County  
or Brana & Tabor Streets SEC 13 T20 S R61 E

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 10 Inch Weight of casing per linear foot 12.06 lbs.

Thickness of casing 10 Gauge Temp. of water         

Diameter and length of casing 8 5/8" OD 150 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure         

If nonflowing well give depth of standing water from surface 38'6" from top of casing

If flowing well describe control works           
(Type and size of valve, etc.)

Date of commencement of well November 8, 1954 Date of completion of well November 12, 1954

Type of well rig "71 Speed Star"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	19	19	Yellow Clay
19	39	20	White Clay
39	41	2	Limestone (Water)
41	57	16	White Clay
57	69	12	Sandy Clay (Water)
69	77	8	White Sticky Clay
77	118	41	Yellow Sandy Clay
118	120	2	Limestone
120	138	18	White Clay
138	141	3	Limestone (Water)
141	150	9	White Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 138 to 141 ft.

Other aquifers 57-69  
39-41

First water at 39 feet.

Casing perforated  
from 40 to 150 ft.

Size of perforations  
1/8" X 12"



