

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54415
 Rec.
 Well No.
 Permit No.
Do not fill in

Owner Willie F. Fulford Driller Louis F. Evans

Address 58 Swabb St., Las Vegas, Nevada Address 2020 Carroll N. Las Vegas Lic. No 117

Location of well: N. E. 1/4 NE 1/4 Sec. 8, T. 20 N/S, R. 62 E, in Clark County

or

Water will be used for Domestic Total depth of well 200 ft.

Size of drilled hole 50' 12" 150" 10" Weight of casing per linear foot 11 lbs.

Thickness of casing 10 Ga. Temp. of water

Diameter and length of casing 8" O.D. casing 200 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 8 1/2 ft.

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well Nov. 5, 1958 Date of completion of well Nov. 17, 1958

Type of well rig Armstrong

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	brown sandy clay
4	18	14	gray clay & gravel
18	31	13	gray clay
31	48	17	brown sandy clay
48	58	10	gray clay
58	85	27	brown sandy clay
85	94	9	brown sandy clay (water)
94	136	42	gray sandy clay
136	147	11	brown clay
147	160	13	gray clay & gravel
160	174	14	brown sandy clay (water)
174	180	6	gravel (water)
180	194	14	gray clay & gravel (water)
194	200	6	brown sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 174 to 180 ft.

Other aquifers 85 to 94

160 to 174 180 to 194

First water at 85 feet.

Casing perforated

from 85 to 200 ft.

Size of perforations

1/4" wide 6" long

