

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 54499
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in.

Owner M.E. Fitzgerald Driller S.R. McKinney and Sons, Inc.
 Address 2665 Gateway, Las Vegas, Nevada Address 1042 So. Main Lic. No. 45
 Location of well: NW 1/4 SE 1/4 Sec. 18 T. 20 N/S, R. 62 E, in Clark County _____

Water will be used for Domestic Total depth of well 175 feet

Size of drilled hole 10 7/8 and reamed 12" to 50' Weight of casing per linear foot 10 gauge

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" ID to 175 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 42 feet

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 3/23/60 Date of completion of well 3/28/60

Type of well rig Bucyrus Erie 24L

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	37	37	Brown Clay
37	53	16	Grey Clay
53	65	12	Brown Clay
65	80	15	Grey Clay, gravelly WATER
80	90	10	Brown Gravel Clay WATER
90	110	20	Grey Gravelly Clay WATER
110	120	10	Brown Sandy Clay
120	135	15	Grey Clay
135	165	30	White Clay WATER
165	175	10	Grey Clay Sandy WATER.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 65 to 120 ft.

Other aquifers _____

First water at 70 feet.

Casing perforated
 from 135 to 175 ft.

Size of perforations
3/16" x 10"

