

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

54933

Log No. _____
 Rec. _____ 19____
 Well No. _____
 Permit No. _____

Owner S. R. McKinney Driller S. R. McKinney & Son

Address 1042 S. Main Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: NE 1/4 NE 1/4 Sec. 1, T21 N/S, R61 E, in Clark County _____
 or on Mojave Rd.

Water will be used for Domestic Total depth of well 200 ft.

Size of drilled hole 12" to 60 ft., 10" to 200 Weight of casing per linear foot 28 lb.

Thickness of casing 5/16" Temp. of water _____

Diameter and length of casing 8" I.D. to 200 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 8 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Oct. 26, 1955 Date of completion of well Oct. 31, 1955

Type of well rig Bucyrus Erie 24 L. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	XXXXXXXXXX brown clay
15	20	5	brown sand water
20	60	40	brown clay
60	70	10	white clay
70	73	3	brown sand water
73	100	27	brown sandy clay
100	122	22	white clay
122	150	27	white sandy clay
150	160	10	sand and gravel water
160	185	25	red sandy clay
185	190	5	sand and gravel water
190	200	10	red sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 185 to 190 ft.

Other aquifers 150 to 160

First water at 15 feet.

Casing perforated from 140 to 200 ft.

Size of perforations 3/16" X 10"

