

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55162

Rec. 19

Well No. \_\_\_\_\_

Permit No. \_\_\_\_\_

Do not fill in

Owner Francis Doffing Driller Louis F. Evans

Address 1892 Gateway Road Las Vegas, Nevada Address 2020 Carroll N. Las Vegas Lic. No. 117

Location of well: N. 1/4 SE 1/4 Sec. 19., T20. N/S, R. 62. E, in Clark County  
or \_\_\_\_\_

Water will be used for Domestic Total depth of well 150 ft.

Size of drilled hole 50' 12" 100' 10" Weight of casing per linear foot 11 lbs.

Thickness of casing 10 ga. Temp. of water \_\_\_\_\_

Diameter and length of casing 8" O.D. 150' 1/2 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 47 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well March 23, 1960 Date of completion of well March 31, 1960

Type of well rig Keystone

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	silt
3	48	45	brown sandy clay
48	73	25	brown clay & gravel (water)
73	114	41	gray clay
114	134	20	blue clay
134	137	4	gravel (water)
137	150	13	green clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 50 to 73 ft.

Other aquifers 134 to 137

---

First water at 47 feet.

Casing perforated

from 50 to 150 ft.

Size of perforations

1/2 wide 6" long

