

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. <b>55185</b>
Rec. _____
Well No. _____
Permit No. _____

Do not fill in

Owner B. Bowman Driller Effinger Drilling & Pump Service  
 Address 2000 Lunessville Address Box 579 City \_\_\_\_\_ Lic. No. 212  
 Location of well: S $\frac{1}{2}$  1/4 S $\frac{1}{2}$  1/4 Sec. 1., T21 N/S, R 69E, in Clark County  
 or 2000 Lunessville Lot 56  
 Water will be used for Domestic Total depth of well 325'  
 Size of drilled hole 8 inch Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 10 gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 6" ID 110'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 200'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well May 17, 1968 Date of completion of well May 24, 1968  
 Type of well rig "Walker-Neer 31"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
225	325	100	Gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 225 to 325 ft.

Other aquifers \_\_\_\_\_

First water at ? feet.

Casing perforated  
 from 260 to 320 ft.

Size of perforations  
1/8" X 12" Forch

RECEIVED

JUN 3 1968  
 DIV. OF WATER RESOURCES  
 BRANCH OFFICE  
 LAS VEGAS, NEVADA

