

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

Log No. 55195
 Pac. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in



Owner FRED ~~KRITZER~~ ^{Critzer} Driller Rodgers Cribbs
 Address east collidge on Walnut Av. Address 2710 Palomino lane Lic. No. 156
 Location of well: SW 1/4 SE 1/4 Sec 20S, T20 N/S, R62 E, in clark County 70

Water will be used for Domestic Total depth of well 200 ft

Size of drilled hole 10 Weight of casing per linear foot _____

Thickness of casing 10 ga. Temp. of water _____

Diameter and length of casing 8 5/8 @ 200ft. L
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 60

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Oct 1 Date of completion of well Oct. 4 1960

Type of well rig spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
00	65	65	silt and soil
65	80	15	red clay rotten
80	200	120	pink sandy clay ribbed with decomposed rock shells

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 90 to 190 ft.
 Other aquifers in shells

First water at 80 feet.

Casing perforated
 from 80 to 100 ft.

Size of perforations
1/8 x 6 in

