

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55202
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in



Owner PASQUALE PATRICK DELULIO Driller Nevada Pump & Supply Co.
 Address 347 N. Bruce, Las Vegas, Nev. Address 412 S. 4th, Las Vegas, Nev. No. 133
 Location of well: NW 1/4 SW 1/4 Sec. 1, T. 21N/S, R. 60E, in Clark County
 or Off W. Charleston Blvd.
 Water will be used for Domestic Total depth of well 200 feet
 Size of drilled hole 10" Weight of casing per linear foot 9 lb.
 Thickness of casing 12 gauge Temp. of water _____
 Diameter and length of casing 150' x 8" and 60' x 6" liner
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 112'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Dec. 30, 1954 Date of completion of well Jan. 3, 1955
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	17	15	Caliche
17	30	13	Sandy Clay
30	72	42	Yellow Clay
72	94	22	Brown Clay
94	99	5	Water - Sand
99	121	22	Brown Clay
121	140	19	Water-sand & Gravel
140	168	28	Brown Clay
168	176	8	Water Gravel
176	191	15	Brown Clay
191	197	6	Water - Gravel
197	201	4	Hard Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 191 to 197 ft.

Other aquifers _____
168 - 176
121 - 140
94 - 99

First water at 94 feet.

Casing perforated
 from 120 to 200 ft.

Size of perforations
1/16" x 3"

