


X

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 55277
Rec. No. _____ 19____
Well No. _____
Permit No. _____
Do not fill in



Owner Don Meacham Driller Effinger Drill & Pump Service

Address Stevens Drive Address 5488 West Duncan Drive Lic. No. 212

Location of well: N. 1/4 S. 1/4 Sec. 19., T. 22. N/S, R. 6. 2. E, in Clark County
or Stevens Drive

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 12 Inch Weight of casing per linear foot _____

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" ID 150 Feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 53 feet from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well August 3, 1961 Date of completion of well August 7, 1961

Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Silt
6	8	2	Limestone
8	40	32	Brown Clay
40	73	33	Red Clay
73	80	7	Limestone (Water)
80	115	35	Red Clay
115	140	25	Decomposed Lime (Water)
140	150	10	Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 115 to 140 ft.

Other aquifers 73-80

First water at 73 feet.

Casing perforated

from 90 to 150 ft.

Size of perforations

1/8" X 15"



