

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55279
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Donald P. & Elizabeth L. Meacham Driller Effinger Drill & Pump Serv.

Address 2025 McCarran Address 5488 W. Duncan Dr. Lic. No. 212

Location of well: NE 1/4 SW 1/4 Sec 19, T.20.N/S, R.6.E, in Clark County
 or Stevens Road

Water will be used for Domestic Total depth of well 150 Feet

Size of drilled hole 12 Inch Weight of casing per linear foot _____

Thickness of casing 7 Gauge Temp. of water _____

Diameter and length of casing 3" ID 150 Feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 55 Feet from top of Casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 21, 1960 Date of completion of well March 23, 1960

Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Silt
6	9	3	Limestone
9	33	24	Brown Clay
33	35	2	Limestone
35	55	20	Red Clay
55	58	3	Brown Clay
58	65	7	Gravel (Water)
65	80	15	Red Sticky Clay
80	85	5	Conglomerate (Water)
85	115	30	Red Clay
115	118	3	Conglomerate (Water)
118	125	7	Red Clay
125	140	15	Decompose Limestone (Water)
140	150	10	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 125 to 140 ft.

Other aquifers 115-118
80-85

First water at 58 feet.

Casing perforated
 from 110 to 150 ft.

Size of perforations
1/4" X 15"



