X

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55291
Rec. 19
Well No. .....
Permit No. .....
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner: Silverman Const Co Driller: Charlie Cribbs

Address: west Charleston & westwind Address: gen del City Lic. No. 70

Location of well: NE ¼ NW ¼ Sec. 21, T. 21 N/S, R. 60 E, in Clark County

or .....

Water will be used for: Domestic Total depth of well: 250 ft

Size of drilled hole: 10 Weight of casing per linear foot: 14

Thickness of casing: 10 GA Temp. of water .....

Diameter and length of casing: 250 ft 8 5/8
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface: 160

If flowing well describe control works: Punch
(Type and size of valve, etc.)

Date of commencement of well: Dec. 6 Date of completion of well: Dec 16 1963

Type of well rig: Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
00	5	5	sand gravel
5	25	20	Calechie
25	50	25	Cement gravel
50	165	115	white Clay
165	170	5	sand little water
170	230	60	Cement gravel
230	235	5	loose gravel } Water
235	250	15	Cement gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 230 to 235 ft.

Other aquifers: 200

First water at: 165 feet.

Casing perforated
from 160 to 250 ft.

Size of perforations
1/8 X 6

Graveled with P gravel

(OVER)

919

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
		250	ft	8 5/8 well Casing Perforated & gravel Packed Cemented 2 1/2 YDS Ready mix

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Charlie Cribbs
Well Driller

By C R Rock

License No. 70

Dated Jan 1, 1964

(Not to be filled in by Driller)

RECEIVED
JAN 6 1964
DIV. OF WATER RESOURCES
FIELD OFFICE
LAS VEGAS, NEVADA

DIVISION OF WATER RESOURCES

STATE OF NEVADA
DIVISION OF WATER RESOURCES

WELL DRILLERS REPORT

Please complete this form in its entirety

OFFICE USE ONLY
Log No. 55291
Permit No.
Basin 212

1. OWNER Ray Tibbets ADDRESS 2021 Edmond St. City

2. LOCATION NW ¼ SE ¼ Sec. 1 T. 21 N/S R. 60 E. Clark County
PERMIT NO.

3. TYPE OF WORK
New Well – X Recondition ☐
Deepen X Other ☐

4. PROPOSED USE
Domestic X Irrigation ☐ Test ☐
Municipal ☐ Industrial ☐ Stock ☐

5. TYPE WELL
Cable X Rotary ☐
Other ☐

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thickness
Gravel		287	302	19
Cement Gravel		302	343	41

Date started 3/5/68, 19
Date completed 3/12/68, 19

7. WELL TEST DATA

Pump RPM	G.P.M.	Draw Down	After Hours Pump

BAILER TEST
G.P.M. 20 Draw down to 185 feet hours
G.P.M. Draw down feet hours
G.P.M. Draw down feet hours

8. WELL CONSTRUCTION
Diameter hole 8 inches Total depth 343 feet
Casing record
Weight per foot 10 Gauge Thickness

Diameter	From	To
6 5/8" OD inches	287 feet	343 feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet
inches	feet	feet

Surface seal: Yes ☐ No ☐ Type
Depth of seal feet
Gravel packed: Yes ☐ No ☐
Gravel packed from feet to feet

Perforations:
Type perforation Torch cut
Size perforation 3/16"x10"
From 287 feet to 345 feet
From feet to feet
From feet to feet
From feet to feet
From feet to feet

9. WATER LEVEL
Static water level 179 Feet below land surface
Flow G.P.M.
Water temperature ° F. Quality

10. DRILLERS CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.

Name S.R.McKinney & Sons, Inc.
Address 1042 S. Main Las Vegas

Nevada contractor's license number 2065

Nevada driller's license number 45

Signed J. L. McKinney

Date 1/21/69

USE ADDITIONAL SHEETS IF NECESSARY

5471