

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55344
 Rec. 6/3
 Well No. 1053
 Permit No. _____
Do not fill in

Owner Opal Scott Driller Nevada Pump & Supply Co.
 Address 1919 Fremont, Las Vegas, Nev. Address Las Vegas, Nevada Lic. No. 133
 Location of well: SE 1/4 NE 1/4 Sec. 3., T.21 N/S, R.60 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 280 feet
 Size of drilled hole 12" Weight of casing per linear foot 12, 9.5, 71.1 lb
 Thickness of casing 12 ga. Temp. of water _____
 Diameter and length of casing 10" x 50', 8" x 20', 6" x 270'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 240 feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Dec. 12, 1954 Date of completion of well Dec. 16, 1954
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	259	256	Cemented Gravel
259	261	2	Hard Rock
261	278	17	Sand-Gravel-Water Bearing
278	280	2	Hard Rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 261 to 278 ft.

Other aquifers _____

First water at 261 feet.

Casing perforated

from 240 to 280 ft.

Size of perforations

1/16" x 6"

