

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55347
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Donald C. Brown Driller Patrick H. Thompson

Address 1700 Eastwood Drive LV. Nev. Address 217 So 26th St. LV. Nev. Lic. No. 192

Location of well: NE 1/4 SE 1/4 Sec. 4, T.21N/S, R.60E, in Clark County

or NE 1/4 NE 1/4 SE 1/4 of said section

Water will be used for Domestic Total depth of well 393'

Size of drilled hole 12" to 50' - 10" from 50' to 393' Weight of casing per linear foot 12.2

Thickness of casing 10 gauge Temp. of water cool

Diameter and length of casing 8" dia. - 39 1/4' length
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 370

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well June 1, 1955 Date of completion of well June 22, 1955

Type of well rig Star - cable tools

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	2	2	gravel	
2	373	371	cemented gravel & boulders	Chief aquifer (water-bearing formation)
373	390	17	gravel & sand	from <u>373</u> to <u>393</u> ft.
390	393	3	gravel	Other aquifers <u>none</u>
				First water at <u>373</u> feet.
				Casing perforated
				from <u>370</u> to <u>393</u> ft.
				Size of perforations
				<u>3/16 x 12 -- 4 rows</u>

