

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55430
 Rec. _____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Jack W. Yeager Driller Nevada Pump & Supply Co.
 Address 3612 Westleigh Dr., Las Vegas, Nev. Address Las Vegas, Nevada Lic. No. 133
 Location of well: SW 1/4 NW 1/4 Sec. 11., T. 21N/S, R. 60E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 250 feet
 Size of drilled hole 10" Weight of casing per linear foot 9 lbs.
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 6" x 250'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 235 feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well May 21, 1955 Date of completion of well June 1, 1955
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	20	18	Boulders-Gravel
20	60	40	Cemented gravel-Clay
60	150	90	Sand & Gravel
150	160	10	Caliche
160	230	70	Gravel & Clay
230	235	5	Gravel & Sand
235	247	12	Water - Sand
247	250	3	Sand & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 235 to 247 ft.

Other aquifers _____

First water at 235 feet.

Casing perforated

from 220 to 250 ft.

Size of perforations

1/16" x 6"



