

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55469  
 Rec. 19  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

### Log of deepening of Well.

Owner Frank Jennings Driller S. R. Mc Kinney & Son  
 Address 111 Ogden St., Las Vegas, Nev Address 1042 So. Main Las Vegas No. 45  
 Location of well: Ne 1/4 SW 1/4 Sec. 12., T. 21 N/S, R. 60 E, in Clark County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 167  
 Size of drilled hole 8" 115 to 167 ft. Weight of casing per linear foot 10 gauge  
 Thickness of casing 6" OD, 10 gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 6" OD From 36 ft. to 167 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 75 ft.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 4/25/57 Date of completion of well 4/26/57

Type of well rig Bucyrus Erie 24 L, Spudder

#### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
115	117	2	Cement gravel
117	125	8	Clay
125	138	13	Clay & gravel
138	150	12	Clay
150	158	8	Cement gravel
158	165	<del>10</del> 7	Gravel & Clay (Water)
165	167	2	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 158 to 165 ft.

Other aquifers \_\_\_\_\_

First water at 158 feet.

Casing perforated

from 117 to 167 ft.

Size of perforations

3/16/10



